

Tohoku University Tohoku Medical Megabank Organization (ToMMo)
(2017.12.08)

1. Takai-Igarashi T, Kinoshita K, Nagasaki M, et al. Security controls in an integrated Biobank to protect privacy in data sharing: rationale and study design. *BMC Med Inform Decis Mak.* 2017;17(1):100. doi:10.1186/s12911-017-0494-5.
2. Yamaguchi-Kabata Y, Yasuda J, Tanabe O, et al. Evaluation of reported pathogenic variants and their frequencies in a Japanese population based on a whole-genome reference panel of 2049 individuals. *J Hum Genet.* December 2017. doi:10.1038/s10038-017-0347-1.
3. Hachiya T, Komaki S, Hasegawa Y, et al. Genome-wide meta-analysis in Japanese populations identifies novel variants at the TMC6–TMC8 and SIX3–SIX2 loci associated with HbA1c. *Sci Rep.* 2017;7(1):16147. doi:10.1038/s41598-017-16493-0.
4. Tadaka S, Saigusa D, Motoike IN, et al. jMorp: Japanese Multi Omics Reference Panel. *Nucleic Acids Res.* October 2017. doi:10.1093/nar/gkx978.
5. Kikuya M, Matsubara H, Ishikuro M, et al. Alterations in physique among young children after the Great East Japan Earthquake: Results from a nationwide survey. *J Epidemiol.* 2017;27(10):462-468. doi:10.1016/j.je.2016.09.012.
6. Miyashita M, Ishikuro M, Kikuya M, et al. Development of a Questionnaire Method of Screening for Citrin Deficiency in Schoolchildren. *J Pediatr Congenit Disord.* 2017;4. <http://www.jscholaronline.org/articles/JPCD/Development-of-a-Questionnaire.pdf>. Accessed November 7, 2017.
7. Shibuya Y, Tokunaga H, Saito S, et al. Identification of somatic genetic alterations in ovarian clear cell carcinoma with next generation sequencing. *Genes, Chromosom Cancer.* October 2017. doi:10.1002/gcc.22507.
8. Liu T-C, Naito T, Liu Z, et al. LRRK2 but not ATG16L1 is associated with Paneth cell defect in Japanese Crohn's disease patients. *JCI insight.* 2017;2(6):e91917. doi:10.1172/jci.insight.91917.
9. Hachiya T, Furukawa R, Shiwa Y, et al. Genome-wide identification of inter-individually variable DNA methylation sites improves the efficacy of epigenetic association studies. *npj Genomic Med.* 2017;2(1):11. doi:10.1038/s41525-017-0016-5.
10. Ueno K, Iwagawa T, Ochiai G, et al. Analysis of Müller glia specific genes and their histone modification using Hes1-promoter driven EGFP expressing mouse. *Sci Rep.* 2017;7(1):3578. doi:10.1038/s41598-017-03874-8.
11. Wada M, Canals D, Adada M, et al. P38 delta MAPK promotes breast cancer

- progression and lung metastasis by enhancing cell proliferation and cell detachment. *Oncogene*. August 2017. doi:10.1038/onc.2017.274.
12. Akiyama M, Okada Y, Kanai M, et al. Genome-wide association study identifies 112 new loci for body mass index in the Japanese population. *Nat Genet*. 2017;49(10):1458-1467. doi:10.1038/ng.3951.
 13. Fujiwara M, Inagaki M, Nakaya N, et al. Cancer screening participation in schizophrenic outpatients and the influence of their functional disability on the screening rate: A cross-sectional study in Japan. *Psychiatry Clin Neurosci*. September 2017. doi:10.1111/pcn.12554.
 14. Yamamoto K, Hachiya T, Fukushima A, et al. Population-based biobank participants' preferences for receiving genetic test results. *J Hum Genet*. August 2017. doi:10.1038/jhg.2017.81.
 15. Hayashi Y, Otsuka K, Ebina M, et al. Distinct requirements for energy metabolism in mouse primordial germ cells and their reprogramming to embryonic germ cells. *Proc Natl Acad Sci*. July 2017:201620915. doi:10.1073/pnas.1620915114.
 16. Hamanaka T, Kimura M, Sakurai T, et al. A Histologic Categorization of Aqueous Outflow Routes in Familial Open-Angle Glaucoma and Associations With Mutations in the MYOC Gene in Japanese Patients. *Investig Ophthalmology Vis Sci*. 2017;58(5):2818. doi:10.1167/iovs.16-20646.
 17. Takai-Igarashi T, Kinoshita K, Nagasaki M, et al. Security controls in an integrated Biobank to protect privacy in data sharing: rationale and study design. *BMC Med Inform Decis Mak*. 2017;17(1):100. doi:10.1186/s12911-017-0494-5.
 18. Takayanagi Y, Yoshida M, Takashima A, et al. Activation of Supraoptic Oxytocin Neurons by Secretin Facilitates Social Recognition. *Biol Psychiatry*. 2017;81(3):243-251. doi:10.1016/j.biopsych.2015.11.021.
 19. Nishigori H, Obara T, Nishigori T, et al. Drug Use before and during Pregnancy in Japan: The Japan Environment and Children's Study. *Pharmacy*. 2017;5(2):21. doi:10.3390/pharmacy5020021.
 20. Ueki M, Kawasaki Y, Tamiya G. Detecting genetic association through shortest paths in a bidirected graph. *Genet Epidemiol*. June 2017. doi:10.1002/gepi.22051.
 21. Takeuchi H, Taki Y, Sekiguchi A, et al. Mean diffusivity of basal ganglia and thalamus specifically associated with motivational states among mood states. *Brain Struct Funct*. 2017;222(2):1027-1037. doi:10.1007/s00429-016-1262-5.
 22. Metoki H, Iwama N, Ishikuro M, Satoh M, Murakami T, Nishigori H. Monitoring and evaluation of out-of-office blood pressure during pregnancy. *Hypertens Res*. 2017;40(2):107-109. doi:10.1038/hr.2016.112.

23. Low S-K, Takahashi A, Ebana Y, et al. Identification of six new genetic loci associated with atrial fibrillation in the Japanese population. *Nat Genet.* 2017;49(6):953-958. doi:10.1038/ng.3842.
24. Takeuchi H, Taki Y, Nouchi R, et al. Creative females have larger white matter structures: Evidence from a large sample study. *Hum Brain Mapp.* 2017;38(1):414-430. doi:10.1002/hbm.23369.
25. Hanazawa T, Asayama K, Watabe D, et al. Seasonal variation in self-measured home blood pressure among patients on antihypertensive medications: HOMED-BP study. *Hypertens Res.* 2017;40(3):284-290. doi:10.1038/hr.2016.133.
26. Köhler S, Vasilevsky NA, Engelstad M, et al. The Human Phenotype Ontology in 2017. *Nucleic Acids Res.* 2017;45(D1):D865-D876. doi:10.1093/nar/gkw1039.
27. Matsuura K, Sawai H, Ikeo K, et al. Genome-wide Association Study Identifies TLL1 Variant Associated With Development of Hepatocellular Carcinoma After Eradication of Hepatitis C Virus Infection. *Gastroenterology.* 2017;152(6):1383-1394. doi:10.1053/j.gastro.2017.01.041.
28. Tsubota-Utsugi M, Satoh M, Tomita N, et al. Lacunar Infarcts Rather than White Matter Hyperintensity as a Predictor of Future Higher Level Functional Decline: The Ohasama Study. *J Stroke Cerebrovasc Dis.* 2017;26(2):376-384. doi:10.1016/j.jstrokecerebrovasdis.2016.09.036.
29. Hachiya T, Kamatani Y, Takahashi A, et al. Genetic Predisposition to Ischemic Stroke: A Polygenic Risk Score. *Stroke.* 2017;48(2):253-258. doi:10.1161/STROKEAHA.116.014506.
30. Nakano T, Mizoue S, Fuse N, Iwase A, Matsumoto S, Yoshikawa K. Fixed combination of travoprost and timolol maleate reduces intraocular pressure in Japanese patients with primary open-angle glaucoma or ocular hypertension: analysis by prostaglandin analogue. *Clin Ophthalmol.* 2017;11:55-61. doi:10.2147/OPHTH.S120639.
31. Tsuchida K, Tsujita T, Hayashi M, et al. Halofuginone enhances the chemo-sensitivity of cancer cells by suppressing NRF2 accumulation. *Free Radic Biol Med.* 2017;103:236-247. doi:10.1016/j.freeradbiomed.2016.12.041.
32. Ishikuro M, Matsubara H, Kikuya M, et al. Disease prevalence among nursery school children after the Great East Japan earthquake. *BMJ Glob Heal.* 2017;2(2):e000127. doi:10.1136/bmjgh-2016-000127.
33. Nezu M, Souma T, Yu L, et al. Nrf2 inactivation enhances placental angiogenesis in a preeclampsia mouse model and improves maternal and fetal outcomes. *Sci Signal.* 2017;10(479):eaam5711. doi:10.1126/scisignal.aam5711.

34. Yagishita Y, Uruno A, Fukutomi T, et al. Nrf2 Improves Leptin and Insulin Resistance Provoked by Hypothalamic Oxidative Stress. *Cell Rep.* 2017;18(8):2030-2044. doi:10.1016/j.celrep.2017.01.064.
35. Ueta M, Sawai H, Shingaki R, et al. Genome-wide association study using the ethnicity-specific Japonica array: identification of new susceptibility loci for cold medicine-related Stevens–Johnson syndrome with severe ocular complications. *J Hum Genet.* January 2017. doi:10.1038/jhg.2016.160.
36. Suzuki T, Seki S, Hiramoto K, et al. Hyperactivation of Nrf2 in early tubular development induces nephrogenic diabetes insipidus. *Nat Commun.* 2017;8:14577. doi:10.1038/ncomms14577.
37. Yu Z, Fukushima H, Ono C, et al. Microglial production of TNF-alpha is a key element of sustained fear memory. *Brain Behav Immun.* 2017;59:313-321. doi:10.1016/j.bbi.2016.08.011.
38. Yu L, Takai J, Otsuki A, et al. Derepression of the DNA methylation machinery of Gata1 gene triggers the differentiation cue for erythropoiesis. *Mol Cell Biol.* January 2017;MCB.00592-16. doi:10.1128/MCB.00592-16.
39. Kawashima M, Hitomi Y, Aiba Y, et al. Genome-wide association studies identify PRKCB as a novel genetic susceptibility locus for primary biliary cholangitis in the Japanese population. *Hum Mol Genet.* January 2017:ddw406. doi:10.1093/hmg/ddw406.
40. Hachiya T, Kamatani Y, Takahashi A, et al. Genetic Predisposition to Ischemic Stroke. *Stroke.* 2017;48(2):253-258. doi:10.1161/STROKEAHA.116.014506.
41. Pan X, Nariai N, Fukuhara N, et al. Monitoring of minimal residual disease in early T-cell precursor acute lymphoblastic leukaemia by next-generation sequencing. *Br J Haematol.* 2017;176(2):318-321. doi:10.1111/bjh.13948.
42. Kitatani K, Iwabuchi K, Snider A, Riboni L. Sphingolipids in Inflammation: From Bench to Bedside. *Mediators Inflamm.* 2016;2016:1-2. doi:10.1155/2016/7602526.
43. Watanabe K, Tanaka H, Takahashi K, Niimura Y, Watanabe K, Kurihara Y. NIRS-Based Language Learning BCI System. *IEEE Sens J.* 2016;16(8):2726-2734. doi:10.1109/JSEN.2016.2519886.
44. Hirata A, Okamura T, Sugiyama D, et al. The Relationship between Very High Levels of Serum High-Density Lipoprotein Cholesterol and Cause-Specific Mortality in a 20-Year Follow-Up Study of Japanese General Population. *J Atheroscler Thromb.* 2016;23(7):800-809. doi:10.5551/jat.33449.
45. Sakai M, Takahashi Y, Yu Z, Tomita H. Microglial Gene Expression Alterations in the Brains of Patients with Psychiatric Disorders. *Adv Neuroimmune Biol.*

- 2016;6(2):83-93. doi:10.3233/NIB-160110.
46. Kawabe T, Suzuki N, Yamaki S, et al. Mesenteric lymph nodes contribute to proinflammatory Th17-cell generation during inflammation of the small intestine in mice. *Eur J Immunol*. 2016;46(5):1119-1131. doi:10.1002/eji.201545907.
 47. Nishi D, Su K-P, Usuda K, et al. Omega-3 fatty acid supplementation for expectant mothers with depressive symptoms in Japan and Taiwan: An open-label trial. *Psychiatry Clin Neurosci*. 2016;70(6):253-254. doi:10.1111/pcn.12388.
 48. Ishikuro M, Ubeda SRG, Obara T, et al. Knowledge, Attitude, and Practices Toward Blood Pressure Measurement at Home Among Japanese Nurses. *Home Healthc now*. 2016;34(4):210-217. doi:10.1097/NHH.0000000000000357.
 49. Takeuchi H, Taki Y, Sekiguchi A, et al. Differences in gray matter structure correlated to nationalism and patriotism. *Sci Rep*. 2016;6(1):29912. doi:10.1038/srep29912.
 50. Kasahara K, Kinoshita K, Schulz R, Larsson P, Bjelkmar P, Apostolov R. IBiSA_Tools: A Computational Toolkit for Ion-Binding State Analysis in Molecular Dynamics Trajectories of Ion Channels. Salsbury F, ed. *PLoS One*. 2016;11(12):e0167524. doi:10.1371/journal.pone.0167524.
 51. Takahashi F, Nishigori H, Nishigori T, et al. Fermented Food Consumption and Psychological Distress in Pregnant Women: A Nationwide Birth Cohort Study of the Japan Environment and Children's Study. *Tohoku J Exp Med*. 2016;240(4):309-321. doi:10.1620/tjem.240.309.
 52. Ueno K, Iwagawa T, Kuribayashi H, et al. Transition of differential histone H3 methylation in photoreceptors and other retinal cells during retinal differentiation. *Sci Rep*. 2016;6(1):29264. doi:10.1038/srep29264.
 53. Takahashi Y, Yu Z, Sakai M, Tomita H. Linking Activation of Microglia and Peripheral Monocytic Cells to the Pathophysiology of Psychiatric Disorders. *Front Cell Neurosci*. 2016;10. doi:10.3389/fncel.2016.00144.
 54. Uruno A, Yagishita Y, Katsuoka F, et al. Nrf2-Mediated Regulation of Skeletal Muscle Glycogen Metabolism. *Mol Cell Biol*. 2016;36(11):1655-1672. doi:10.1128/MCB.01095-15.
 55. Matsudaira I, Yokota S, Hashimoto T, et al. Parental Praise Correlates with Posterior Insular Cortex Gray Matter Volume in Children and Adolescents. Chen K, ed. *PLoS One*. 2016;11(4):e0154220. doi:10.1371/journal.pone.0154220.
 56. Fujiwara Y, Kondo HX, Shirota M, et al. Structural basis for the membrane association of ankyrinG via palmitoylation. *Sci Rep*. 2016;6(1):23981. doi:10.1038/srep23981.

57. Takeuchi H, Taki Y, Hashizume H, et al. Impact of reading habit on white matter structure: Cross-sectional and longitudinal analyses. *Neuroimage*. 2016;133:378-389. doi:10.1016/j.neuroimage.2016.03.037.
58. Akimoto Y, Nozawa T, Kanno A, et al. High-gamma power changes after cognitive intervention: preliminary results from twenty-one senior adult subjects. *Brain Behav*. 2016;6(3):n/a-n/a. doi:10.1002/brb3.427.
59. Satoh M, Haga T, Hosaka M, et al. The velocity of antihypertensive effects of seven angiotensin II receptor blockers determined by home blood pressure measurements. *J Hypertens*. 2016;34(6):1218-1223. doi:10.1097/HJH.0000000000000902.
60. Kimura Y, Soma T, Kasahara N, et al. Edesign: Primer and Enhanced Internal Probe Design Tool for Quantitative PCR Experiments and Genotyping Assays. Kalendar R, ed. *PLoS One*. 2016;11(2):e0146950. doi:10.1371/journal.pone.0146950.
61. Arai-Ichinoi N, Uematsu M, Sato R, et al. Genetic heterogeneity in 26 infants with a hypomyelinating leukodystrophy. *Hum Genet*. 2016;135(1):89-98. doi:10.1007/s00439-015-1617-7.
62. Suzuki T, Yamaguchi H, Kikusato M, et al. Mitochondrial Acid 5 Binds Mitochondria and Ameliorates Renal Tubular and Cardiac Myocyte Damage. *J Am Soc Nephrol*. 2016;27(7):1925-1932. doi:10.1681/ASN.2015060623.
63. Yoshida H, Kobayashi N, Honda N, et al. Posttraumatic growth of children affected by the Great East Japan Earthquake and their attitudes to memorial services and media coverage. *Psychiatry Clin Neurosci*. 2016;70(5):n/a-n/a. doi:10.1111/pcn.12379.
64. Kohda M, Tokuzawa Y, Kishita Y, et al. A Comprehensive Genomic Analysis Reveals the Genetic Landscape of Mitochondrial Respiratory Chain Complex Deficiencies. Barsh GS, ed. *PLOS Genet*. 2016;12(1):e1005679. doi:10.1371/journal.pgen.1005679.
65. Koso H, Tsubako A, Lai C-Y, et al. Conditional rod photoreceptor ablation reveals Sall1 as a microglial marker and regulator of microglial morphology in the retina. *Glia*. 2016;64(11):2005-2024. doi:10.1002/glia.23038.
66. Tadaka S, Kinoshita K. NCMine: Core-peripheral based functional module detection using near-clique mining. *Bioinformatics*. 2016;32(22):3454-3460. doi:10.1093/bioinformatics/btw488.
67. Kubota Y, Nomura K, Katoh Y, Yamashita R, Kaneko K, Furuyama K. Novel Mechanisms for Heme-dependent Degradation of ALAS1 Protein as a Component of Negative Feedback Regulation of Heme Biosynthesis. *J Biol Chem*. 2016;291(39):20516-20529. doi:10.1074/jbc.M116.719161.
68. Nouchi R, Takeuchi H, Taki Y, et al. Neuroanatomical bases of effortful control: evidence from a large sample of young healthy adults using voxel-based

- morphometry. *Sci Rep*. 2016;6:31231. doi:10.1038/srep31231.
69. Tomata Y, Sugiyama K, Kaiho Y, Sugawara Y, Hozawa A, Tsuji I. Predictive ability of a simple subjective memory complaints scale for incident dementia: Evaluation of Japan's national checklist, the "Kihon Checklist". *Geriatr Gerontol Int*. August 2016. doi:10.1111/ggi.12864.
 70. Nakagawa S, Takeuchi H, Taki Y, et al. Sex-Related Differences in the Effects of Sleep Habits on Verbal and Visuospatial Working Memory. *Front Psychol*. 2016;7:1128. doi:10.3389/fpsyg.2016.01128.
 71. Zhang Q, Matsui H, Horiuchi H, Liang X, Sasaki K. A-Raf and C-Raf differentially regulate mechanobiological response of osteoblasts to guide mechanical stress-induced differentiation. *Biochem Biophys Res Commun*. 2016;476(4):438-444. doi:10.1016/j.bbrc.2016.05.141.
 72. Nouchi R, Taki Y, Takeuchi H, Nozawa T, Sekiguchi A, Kawashima R. Reading Aloud and Solving Simple Arithmetic Calculation Intervention (Learning Therapy) Improves Inhibition, Verbal Episodic Memory, Focus Attention and Processing Speed in Healthy Elderly People: Evidence from a Randomized Controlled Trial. *Front Hum Neurosci*. 2016;10. doi:10.3389/fnhum.2016.00217.
 73. Mishima E, Takeuchi Y, Nagasawa T, Hashimoto J. Prelude to Takotsubo cardiomyopathy: subclinical progression of antecedent myocardial ischaemia prior to symptom onset. *Eur Heart J*. 2016;37(37):2845-2845. doi:10.1093/eurheartj/ehw216.
 74. Stagg HR, Harris RJ, Hatherell H-A, et al. What are the most efficacious treatment regimens for isoniazid-resistant tuberculosis? A systematic review and network meta-analysis. *Thorax*. 2016;71(10):940-949. doi:10.1136/thoraxjnl-2015-208262.
 75. Kasahara K, Kinoshita K. Landscape of protein-small ligand binding modes. *Protein Sci*. 2016;25(9):1659-1671. doi:10.1002/pro.2971.
 76. Shimada MK, Sanbonmatsu R, Yamaguchi-Kabata Y, et al. Selection pressure on human STR loci and its relevance in repeat expansion disease. *Mol Genet Genomics*. 2016;291(5):1851-1869. doi:10.1007/s00438-016-1219-7.
 77. Mishima E, Nishimiya K, Fujiwara Y, Nishizawa M, Kiyomoto H, Ito S. Serious Hypocalcemia After Withdrawal of Vitamin D Analog in Bedridden Nonagenarians with Previous Thyroidectomy: A Report of Two Cases. *J Am Geriatr Soc*. 2016;64(6):1374-1376. doi:10.1111/jgs.14171.
 78. Murakami Y, Omori S, Kinoshita K. NLDB: a database for 3D protein-ligand interactions in enzymatic reactions. *J Struct Funct Genomics*. 2016;17(4):101-110. doi:10.1007/s10969-016-9206-0.
 79. Mizuno S, Nishigori H, Sugiyama T, et al. Association between social capital and the

- prevalence of gestational diabetes mellitus: An interim report of the Japan Environment and Children's Study. *Diabetes Res Clin Pract.* 2016;120:132-141. doi:10.1016/j.diabres.2016.07.020.
80. Araki Y, Okamura K, Munkhbat B, et al. Whole-exome sequencing confirmation of multiple MC1R variants associated with extensive freckles and red hair: Analysis of a Mongolian family. *J Dermatol Sci.* 2016;84(2):216-219. doi:10.1016/j.jdermsci.2016.08.009.
81. Sato M, Ikeda H, Uranbileg B, et al. Sphingosine kinase-1, S1P transporter spinster homolog 2 and S1P2 mRNA expressions are increased in liver with advanced fibrosis in human. *Sci Rep.* 2016;6:32119. doi:10.1038/srep32119.
82. Matsubayashi M, Kawahara F, Hatta T, et al. Transcriptional profiles of virulent and precocious strains of *Eimeria tenella* at sporozoite stage; novel biological insight into attenuated asexual development. *Infect Genet Evol.* 2016;40:54-62. doi:10.1016/j.meegid.2016.02.021.
83. Sone T, Nakaya N, Sugawara Y, Tomata Y, Watanabe T, Tsuji I. Longitudinal association between time-varying social isolation and psychological distress after the Great East Japan Earthquake. *Soc Sci Med.* 2016;152:96-101. doi:10.1016/j.socscimed.2016.01.037.
84. Takeuchi H, Taki Y, Hashizume H, et al. Impact of videogame play on the brain's microstructural properties: cross-sectional and longitudinal analyses. *Mol Psychiatry.* 2016;21(12):1781-1789. doi:10.1038/mp.2015.193.
85. Kakazu E, Mauer AS, Yin M, Malhi H. Hepatocytes release ceramide-enriched pro-inflammatory extracellular vesicles in an IRE1 α -dependent manner. *J Lipid Res.* 2016;57(2):233-245. doi:10.1194/jlr.M063412.
86. Hanawa S, Sugiura M, Nozawa T, et al. The neural basis of the imitation drive. *Soc Cogn Affect Neurosci.* 2016;11(1):66-77. doi:10.1093/scan/nsv089.
87. Kojima K, Kawai Y, Nariai N, Mimori T, Hasegawa T, Nagasaki M. Short tandem repeat number estimation from paired-end reads for multiple individuals by considering coalescent tree. *BMC Genomics.* 2016;17 Suppl 5:494. doi:10.1186/s12864-016-2821-0.
88. Shirota M, Kinoshita K. Discrepancies between human DNA, mRNA and protein reference sequences and their relation to single nucleotide variants in the human population. *Database (Oxford).* 2016;2016. doi:10.1093/database/baw124.
89. Nishi D, Su K-P, Usuda K, et al. The synchronized trial on expectant mothers with depressive symptoms by omega-3 PUFAs (SYNCHRO): Study protocol for a randomized controlled trial. *BMC Psychiatry.* 2016;16(1):321.

- doi:10.1186/s12888-016-1031-2.
90. Nakagawa S, Sugiura M, Sekiguchi A, et al. Effects of post-traumatic growth on the dorsolateral prefrontal cortex after a disaster. *Sci Rep.* 2016;6:34364. doi:10.1038/srep34364.
 91. Hasegawa T, Kojima K, Kawai Y, Misawa K, Mimori T, Nagasaki M. AP-SKAT: highly-efficient genome-wide rare variant association test. *BMC Genomics.* 2016;17(1):745. doi:10.1186/s12864-016-3094-3.
 92. Sekiguchi A, Sato C, Matsudaira I, et al. Postoperative hormonal therapy prevents recovery of neurological damage after surgery in patients with breast cancer. *Sci Rep.* 2016;6:34671. doi:10.1038/srep34671.
 93. Chagan-Yasutan H, Chen Y, Lacuesta TL, et al. Urine Levels of Defensin α 1 Reflect Kidney Injury in Leptospirosis Patients. *Int J Mol Sci.* 2016;17(10). doi:10.3390/ijms17101637.
 94. Hotta K, Matsuda T, Kakugawa Y, et al. Regional colorectal cancer screening program using colonoscopy on an island: a prospective Nii-jima study. *Jpn J Clin Oncol.* October 2016. doi:10.1093/jjco/hyw155.
 95. Juhanoja E, Johansson J, Thijs L, et al. YIA 01-03 OUTCOME-DRIVEN REFERENCE FRAME FOR SELF-MEASURED HOME BLOOD PRESSURE VARIABILITY: INTERNATIONAL DATABASE OF HOME BLOOD PRESSURE IN RELATION TO CARDIOVASCULAR OUTCOME (IDHOCO). *J Hypertens.* 2016;34 Suppl 1:e36. doi:10.1097/01.hjh.0000499951.86351.ac.
 96. Sato E, Tsunokuni Y, Fushima T, et al. OS 08-06 METABOLOMIC ANALYSIS OF A MOUSE MODEL OF PREECLAMPSIA INDUCED BY OVERPRODUCING sFlt-1. *J Hypertens.* 2016;34 Suppl 1:e69. doi:10.1097/01.hjh.0000500031.24401.46.
 97. Kanoh N, Mano K, Saigusa D, Usui T, Iwabuchi Y. Design and synthesis of the penta(acetoxymethyl) ester of dioctanoyl phosphatidylinositol-3,5-bisphosphate. *Bioorg Med Chem Lett.* 2016;26(23):5770-5772. doi:10.1016/j.bmcl.2016.10.046.
 98. Maekawa M, Omura K, Sekiguchi S, et al. Identification of Two Sulfated Cholesterol Metabolites Found in the Urine of a Patient with Niemann-Pick Disease Type C as Novel Candidate Diagnostic Markers. *Mass Spectrom (Tokyo, Japan).* 2016;5(2):S0053. doi:10.5702/massspectrometry.S0053.
 99. Komiyama T, Ohi T, Miyoshi Y, et al. Association Between Tooth Loss, Receipt of Dental Care, and Functional Disability in an Elderly Japanese Population: The Tsurugaya Project. *J Am Geriatr Soc.* 2016;64(12):2495-2502. doi:10.1111/jgs.14390.
 100. Satoh M, Obara T, Nishigori H, et al. Prescription trends in children with pervasive developmental disorders: a claims data-based study in Japan. *World J Pediatr.*

- 2016;12(4):443-449. doi:10.1007/s12519-016-0036-8.
101. Kasahara K, Kinoshita K. IBSA_Tools: A Computational Toolkit for Ion-Binding State Analysis in Molecular Dynamics Trajectories of Ion Channels. *PLoS One*. 2016;11(12):e0167524. doi:10.1371/journal.pone.0167524.
 102. Kojima K, Kawai Y, Misawa K, Mimori T, Nagasaki M. STR-realigner: a realignment method for short tandem repeat regions. *BMC Genomics*. 2016;17(1):991. doi:10.1186/s12864-016-3294-x.
 103. Yamada KD, Nishi H, Nakata J, Kinoshita K. Structural characterization of single nucleotide variants at ligand binding sites and enzyme active sites of human proteins. *Biophys physicobiology*. 2016;13:157-163. doi:10.2142/biophysico.13.0_157.
 104. Gojobori T, Ikeo K, Katayama Y, et al. VaProS: a database-integration approach for protein/genome information retrieval. *J Struct Funct Genomics*. 2016;17(4):69-81. doi:10.1007/s10969-016-9211-3.
 105. 相澤弥生, 小林朋子, 川目裕. 網羅的ゲノム解析における偶発的所見を含む遺伝情報の結果の返却に関する我が国の現状と課題の検討 - 米国臨床遺伝・ゲノム学会 (ACMG) の偶発的所見取り扱いに関する推奨からの考察 -. 日本遺伝カウンセリング学会誌. 2016;37:105-126.
<https://www.google.co.jp/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0ahUKEwiFlJC5zsnWAhVHm5QKHRZ8ASQQFggnMAA&url=https%3A%2F%2Fmol.medicalonline.jp%2Farchive%2Fselect%3Fjo%3Ddg8genco&usg=AFQjCNH2UmhYVh7WSBNqQlB4q9hwJq4L3A>.
 106. Hasegawa A, Kaneko H, Ishihara D, et al. GATA1 Binding Kinetics on Conformation-Specific Binding Sites Elicit Differential Transcriptional Regulation. *Mol Cell Biol*. 2016;36(16):2151-2167. doi:10.1128/MCB.00017-16.
 107. Kobayashi EH, Suzuki T, Funayama R, et al. Nrf2 suppresses macrophage inflammatory response by blocking proinflammatory cytokine transcription. *Nat Commun*. 2016;7:11624. doi:10.1038/ncomms11624.
 108. Nakayama A, Nakaoka H, Yamamoto K, et al. GWAS of clinically defined gout and subtypes identifies multiple susceptibility loci that include urate transporter genes. *Ann Rheum Dis*. November 2016:annrheumdis-2016-209632. doi:10.1136/annrheumdis-2016-209632.
 109. Hidaka T, Ogawa E, Kobayashi EH, et al. The aryl hydrocarbon receptor AhR links atopic dermatitis and air pollution via induction of the neurotrophic factor artemin. *Nat Immunol*. 2016;18(1):64-73. doi:10.1038/ni.3614.
 110. Matsumoto A, Pasut A, Matsumoto M, et al. mTORC1 and muscle regeneration are regulated by the LINC00961-encoded SPAR polypeptide. *Nature*.

- 2016;541(7636):228-232. doi:10.1038/nature21034.
111. Hirano I, Suzuki N, Yamazaki S, et al. Renal Anemia Model Mouse Established by Transgenic Rescue with Erythropoietin Gene Lacking Kidney-specific Regulatory Elements. *Mol Cell Biol*. December 2016;MCB.00451-16. doi:10.1128/MCB.00451-16.
 112. Masamune A, Nakano E, Niihori T, et al. Variants in the UBR1 gene are not associated with chronic pancreatitis in Japan. *Pancreatology*. 2016;16(5):814-818. doi:10.1016/j.pan.2016.06.662.
 113. Murakami K, Metoki H, Satoh M, et al. Menstrual Factors and Stroke Incidence in Japanese Postmenopausal Women: The Ohasama Study. *Neuroepidemiology*. 2016;47(2):109-116. doi:10.1159/000452220.
 114. Li F, Fushima T, Oyanagi G, et al. Nicotinamide benefits both mothers and pups in two contrasting mouse models of preeclampsia. *Proc Natl Acad Sci*. November 2016;201614947. doi:10.1073/pnas.1614947113.
 115. Iso T, Suzuki T, Baird L, Yamamoto M. Absolute Amounts and Status of the Nrf2-Keap1-Cul3 Complex within Cells. *Mol Cell Biol*. October 2016;MCB.00389-16. doi:10.1128/MCB.00389-16.
 116. Nezu M, Souma T, Yu L, et al. Transcription factor Nrf2 hyperactivation in early-phase renal ischemia-reperfusion injury prevents tubular damage progression. *Kidney Int*. October 2016. doi:10.1016/j.kint.2016.08.023.
 117. Sato E, Mori T, Mishima E, et al. Metabolic alterations by indoxyl sulfate in skeletal muscle induce uremic sarcopenia in chronic kidney disease. *Sci Rep*. 2016;6:36618. doi:10.1038/srep36618.
 118. Mizuno S, Ogishima S, Nishigori H, et al. The Pre-Eclampsia Ontology: A Disease Ontology Representing the Domain Knowledge Specific to Pre-Eclampsia. Croy A, ed. *PLoS One*. 2016;11(10):e0162828. doi:10.1371/journal.pone.0162828.
 119. Watanabe M, Hashimoto K, Abe Y, et al. A Novel Peptide Derived from the Fusion Protein Heptad Repeat Inhibits Replication of Subacute Sclerosing Panencephalitis Virus In Vitro and In Vivo. Pöhlmann S, ed. *PLoS One*. 2016;11(9):e0162823. doi:10.1371/journal.pone.0162823.
 120. Tsuchiya N, Nakaya N, Nakamura T, et al. Impact of social capital on psychological distress and interaction with house destruction and displacement after the Great East Japan Earthquake of 2011. *Psychiatry Clin Neurosci*. October 2016. doi:10.1111/pcn.12467.
 121. Katsuoka F, Yamamoto M. Small Maf proteins (MafF, MafG, MafK): History, structure and function. *Gene*. 2016;586(2):197-205. doi:10.1016/j.gene.2016.03.058.
 122. Katsuoka F, Yamazaki H, Yamamoto M. Small Maf deficiency recapitulates the liver

- phenotypes of Nrf1- and Nrf2-deficient mice. *Genes Cells*. October 2016.
doi:10.1111/gtc.12445.
123. 相澤弥生, 川目裕. 遺伝カウンセラーにおける共感疲労、バーンアウトと共感満足 系統的レビュー. 日本遺伝カウンセリング学会誌. 2016;37:21-30.
<http://search.jamas.or.jp/link/bc/20160721370002>.
124. Saigusa D, Okamura Y, Motoike IN, et al. Establishment of Protocols for Global Metabolomics by LC-MS for Biomarker Discovery. Monleon D, ed. *PLoS One*. 2016;11(8):e0160555. doi:10.1371/journal.pone.0160555.
125. Sun Y, Irwanto A, Toyo-oka L, et al. Fine-mapping analysis revealed complex pleiotropic effect and tissue-specific regulatory mechanism of TNFSF15 in primary biliary cholangitis, Crohn's disease and leprosy. *Sci Rep*. 2016;6:31429.
doi:10.1038/srep31429.
126. Salie ZL, Kirby KA, Michailidis E, et al. Structural basis of HIV inhibition by translocation-defective RT inhibitor 4'-ethynyl-2'-fluoro-2'-deoxyadenosine (EFdA). *Proc Natl Acad Sci*. 2016;113(33):9274-9279. doi:10.1073/pnas.1605223113.
127. Koshiba S, Motoike I, Kojima K, et al. The structural origin of metabolic quantitative diversity. *Sci Rep*. 2016;6:31463. doi:10.1038/srep31463.
128. Nakaya N, Narita A, Tsuchiya N, et al. Partners' Ongoing Treatment for Chronic Disease and the Risk of Psychological Distress after the Great East Japan Earthquake. *Tohoku J Exp Med*. 2016;239(4):307-314. doi:10.1620/tjem.239.307.
129. Tanaka Y, Kanazawa M, Kano M, et al. Differential Activation in Amygdala and Plasma Noradrenaline during Colorectal Distention by Administration of Corticotropin-Releasing Hormone between Healthy Individuals and Patients with Irritable Bowel Syndrome. Tache Y, ed. *PLoS One*. 2016;11(7):e0157347.
doi:10.1371/journal.pone.0157347.
130. Kuriyama S, Yaegashi N, Nagami F, et al. The Tohoku Medical Megabank Project: Design and Mission. *J Epidemiol*. 2016;26(9). doi:10.2188/jea.JE20150268.
131. Nakaya N, Nakamura T, Tsuchiya N, et al. Psychological Distress and the Risk of Withdrawing From Hypertension Treatment After an Earthquake Disaster. *Disaster Med Public Health Prep*. June 2016:1-4. doi:10.1017/dmp.2016.102.
132. Sekine H, Okazaki K, Ota N, et al. The Mediator Subunit MED16 Transduces NRF2-Activating Signals into Antioxidant Gene Expression. *Mol Cell Biol*. 2016;36(3):407-420. doi:10.1128/MCB.00785-15.
133. Ntineri A, Stergiou GS, Thijs L, et al. Relationship between office and home blood pressure with increasing age: The International Database of HOme blood pressure in relation to Cardiovascular Outcome (IDHOCO). *Hypertens Res*. April 2016.

- doi:10.1038/hr.2016.32.
134. Yamagishi J, Sato Y, Shinozaki N, et al. Comparison of Boiling and Robotics Automation Method in DNA Extraction for Metagenomic Sequencing of Human Oral Microbes. Alekseyenko A V., ed. *PLoS One*. 2016;11(4):e0154389. doi:10.1371/journal.pone.0154389.
 135. Hashimoto T, Fukui K, Takeuchi H, et al. Effects of the BDNF Val66Met Polymorphism on Gray Matter Volume in Typically Developing Children and Adolescents. *Cereb Cortex*. 2016;26(4):1795-1803. doi:10.1093/cercor/bhw020.
 136. Sugawara J, Hoshiai T, Sato K, et al. Impact of the Great East Japan Earthquake on Regional Obstetrical Care in Miyagi Prefecture. *Prehosp Disaster Med*. March 2016;1-4. doi:10.1017/S1049023X1600025X.
 137. Ishikuro M, Nakaya N, Obara T, et al. Public Attitudes toward an Epidemiological Study with Genomic Analysis in the Great East Japan Earthquake Disaster Area. *Prehosp Disaster Med*. March 2016;1-5. doi:10.1017/S1049023X16000182.
 138. Satoh H, Moriguchi T, Saigusa D, et al. NRF2 intensifies host defense systems to prevent lung carcinogenesis, but after tumor initiation accelerates malignant cell growth. *Cancer Res*. March 2016. doi:10.1158/0008-5472.CAN-15-1584.
 139. Ueki M, Tamiya G, for Alzheimer's Disease Neuroimaging Initiative. Smooth-Threshold Multivariate Genetic Prediction with Unbiased Model Selection. *Genet Epidemiol*. March 2016;n/a-n/a. doi:10.1002/gepi.21958.
 140. Kasahara K, Shirota M, Kinoshita K. Ion Concentration- and Voltage-Dependent Push and Pull Mechanisms of Potassium Channel Ion Conduction. Arreola J, ed. *PLoS One*. 2016;11(3):e0150716. doi:10.1371/journal.pone.0150716.
 141. Kuragano T, Kitamura K, Matsumura O, et al. ESA Hyporesponsiveness Is Associated with Adverse Events in Maintenance Hemodialysis (MHD) Patients, But Not with Iron Storage. Abe H, ed. *PLoS One*. 2016;11(3):e0147328. doi:10.1371/journal.pone.0147328.
 142. Nakagawa S, Takeuchi H, Taki Y, et al. The anterior midcingulate cortex as a neural node underlying hostility in young adults. *Brain Struct Funct*. February 2016. doi:10.1007/s00429-016-1200-6.
 143. Nakagawa S, Takeuchi H, Taki Y, et al. Basal ganglia correlates of fatigue in young adults. *Sci Rep*. 2016;6:21386. doi:10.1038/srep21386.
 144. Uranbileg B, Ikeda H, Kurano M, et al. Increased mRNA Levels of Sphingosine Kinases and S1P Lyase and Reduced Levels of S1P Were Observed in Hepatocellular Carcinoma in Association with Poorer Differentiation and Earlier Recurrence. Cowart A, ed. *PLoS One*. 2016;11(2):e0149462. doi:10.1371/journal.pone.0149462.

145. Aoki Y, Okamura Y, Ohta H, Kinoshita K, Obayashi T. ALCOdb: Gene Coexpression Database for Microalgae. *Plant Cell Physiol.* 2016;57(1):e3. doi:10.1093/pcp/pcv190.
146. Nishi H, Nakata J, Kinoshita K. Distribution of single-nucleotide variants on protein-protein interaction sites and its relationship with minor allele frequency. *Protein Sci.* 2016;25(2):316-321. doi:10.1002/pro.2845.
147. Aoki Y, Okamura Y, Tadaka S, Kinoshita K, Obayashi T. ATTED-II in 2016: A Plant Coexpression Database Towards Lineage-Specific Coexpression. *Plant Cell Physiol.* 2016;57(1):e5. doi:10.1093/pcp/pcv165.
148. Yaoita M, Niihori T, Mizuno S, et al. Spectrum of mutations and genotype-phenotype analysis in Noonan syndrome patients with RIT1 mutations. *Hum Genet.* 2016;135(2):209-222. doi:10.1007/s00439-015-1627-5.
149. Mizuno S, Ogishima S, Kitatani K, et al. Network Analysis of a Comprehensive Knowledge Repository Reveals a Dual Role for Ceramide in Alzheimer's Disease. Deli MA, ed. *PLoS One.* 2016;11(2):e0148431. doi:10.1371/journal.pone.0148431.
150. Ishikura K, Obara T, Kikuya M, et al. Home blood pressure level and decline in renal function among treated hypertensive patients: the J-HOME-Morning Study. *Hypertens Res.* 2016;39(2):107-112. doi:10.1038/hr.2015.110.
151. Satoh M, Asayama K, Kikuya M, et al. Long-Term Stroke Risk Due to Partial White-Coat or Masked Hypertension Based on Home and Ambulatory Blood Pressure Measurements: The Ohasama Study. *Hypertension.* 2016;67(1):48-55. doi:10.1161/HYPERTENSIONAHA.115.06461.
152. Murakami K, Tsubota-Utsugi M, Satoh M, et al. Impaired Higher-Level Functional Capacity as a Predictor of Stroke in Community-Dwelling Older Adults: The Ohasama Study. *Stroke.* 2016;47(2):323-328. doi:10.1161/STROKEAHA.115.011131.
153. Nariai N, Kojima K, Mimori T, Kawai Y, Nagasaki M. A Bayesian approach for estimating allele-specific expression from RNA-Seq data with diploid genomes. *BMC Genomics.* 2016;17(S1):2. doi:10.1186/s12864-015-2295-5.
154. Shiwa Y, Hachiya T, Furukawa R, et al. Adjustment of Cell-Type Composition Minimizes Systematic Bias in Blood DNA Methylation Profiles Derived by DNA Collection Protocols. Koestler DC, ed. *PLoS One.* 2016;11(1):e0147519. doi:10.1371/journal.pone.0147519.
155. Komuro H, Sato N, Sasaki A, et al. Corticotropin-Releasing Hormone Receptor 2 Gene Variants in Irritable Bowel Syndrome. Zmijewski M, ed. *PLoS One.* 2016;11(1):e0147817. doi:10.1371/journal.pone.0147817.
156. Hattori M, Iwano M, Sako M, et al. Transition of adolescent and young adult patients with childhood-onset chronic kidney disease from pediatric to adult renal services: a

- nationwide survey in Japan. *Clin Exp Nephrol*. January 2016.
doi:10.1007/s10157-016-1231-6.
157. Kikuchi M, Ogishima S, Mizuno S, et al. Network-Based Analysis for Uncovering Mechanisms Underlying Alzheimer's Disease. *Methods Mol Biol*. 2016;1303:479-491.
doi:10.1007/978-1-4939-2627-5_29.
158. Ogishima S, Mizuno S, Kikuchi M, et al. AlzPathway, an Updated Map of Curated Signaling Pathways: Towards Deciphering Alzheimer's Disease Pathogenesis. *Methods Mol Biol*. 2016;1303:423-432. doi:10.1007/978-1-4939-2627-5_25.
159. Watanabe Z, Iwama N, Nishigori H, et al. Psychological distress during pregnancy in Miyagi after the Great East Japan Earthquake: The Japan Environment and Children's Study. *J Affect Disord*. 2016;190:341-348. doi:10.1016/j.jad.2015.10.024.
160. Okuda N, Miura K, Okayama A, et al. Fruit and vegetable intake and mortality from cardiovascular disease in Japan: a 24-year follow-up of the NIPPON DATA80 Study. *Eur J Clin Nutr*. 2015;69(4):482-488. doi:10.1038/ejcn.2014.276.
161. Woodward M, Peters SAE, Batty GD, et al. Socioeconomic status in relation to cardiovascular disease and cause-specific mortality: a comparison of Asian and Australasian populations in a pooled analysis. *BMJ Open*. 2015;5(3):e006408-e006408. doi:10.1136/bmjopen-2014-006408.
162. Nagai M, Ohkubo T, Murakami Y, et al. Secular trends of the impact of overweight and obesity on hypertension in Japan, 1980–2010. *Hypertens Res*. 2015;38(11):798-798. doi:10.1038/hr.2015.94.
163. Nagasaki M, Yasuda J, Katsuoka F, et al. Rare variant discovery by deep whole-genome sequencing of 1,070 Japanese individuals. *Nat Commun*. 2015;6:8018. doi:10.1038/ncomms9018.
164. Takahashi T, Saigusa D, Takeda C, et al. Determination of Sphingolipids by LC-MS/MS. *Bioact Lipid Mediat*. 2015:357-370. doi:10.1007/978-4-431-55669-5_26.
165. Arner E, Daub CO, Vitting-Seerup K, et al. Transcribed enhancers lead waves of coordinated transcription in transitioning mammalian cells. *Science (80-)*. 2015;347(6225):1010-1014. doi:10.1126/science.1259418.
166. Miyamoto F, Kawaji K, Oishi S, Fujii N, Kaku M, Kodama EN. Anti-HIV-1 activity determined by β -galactosidase activity in the multinuclear activation of an indicator assay is comparable with that by a conventional focus counting method. *Antivir Chem Chemother*. 2015;24(2):77-82. doi:10.1177/2040206615614164.
167. Usami O, Nakajima C, Endo S, et al. A case of Manila type Mycobacterium tuberculosis infection in Japan. *Clin Case Reports*. 2015;3(7):622-625. doi:10.1002/ccr3.277.

168. Iijima K, Koike T, Abe Y, Ohara S, Nakaya N, Shimosegawa T. Time series analysis of gastric acid secretion over a 20-year period in normal Japanese men. *J Gastroenterol*. 2015;50(8):853-861. doi:10.1007/s00535-014-1031-2.
169. T O, H Y, M S, Y I. Prevalence, Determinants, and Reasons for the Non-Reporting of Adverse Drug Reactions by Pharmacists in the Miyagi and Hokkaido Regions of Japan. *Adv Pharmacoepidemiol Drug Saf*. 2015;4(5). doi:10.4172/2167-1052.1000191.
170. Mishima E, Jinno D, Akiyama Y, et al. Immuno-Northern Blotting: Detection of RNA Modifications by Using Antibodies against Modified Nucleosides. Preiss T, ed. *PLoS One*. 2015;10(11):e0143756. doi:10.1371/journal.pone.0143756.
171. Metoki H, Obara T, Asayama K, et al. Differential effects of angiotensin II receptor blocker and losartan/hydrochlorothiazide combination on central blood pressure and augmentation index. *Clin Exp Hypertens*. 2015;37(4):294-302. doi:10.3109/10641963.2014.960972.
172. Watanabe M, Kurai J, Minato S, et al. Difference in interleukin-8 transcriptional activity induced in THP-G8 cells by particulate matter collected in winter and summer in western Japan. *J Med Investig*. 2015;62(3.4):145-148. doi:10.2152/jmi.62.145.
173. Tsubota-Utsugi M, Kikuya M, Satoh M, et al. Living situations associated with poor dietary intake among healthy japanese elderly: The ohasama study. *J Nutr Health Aging*. 2015;19(4):375-382. doi:10.1007/s12603-015-0456-5.
174. Tochio N, Umehara T, Nakabayashi K, et al. Solution structures of the DNA-binding domains of immune-related zinc-finger protein ZFAT. *J Struct Funct Genomics*. 2015;16(2):55-65. doi:10.1007/s10969-015-9196-3.
175. Saitoh H, Koizumi N, Seto J, et al. Leptospirosis in the Tohoku Region: Re-emerging Infectious Disease. *Tohoku J Exp Med*. 2015;236(1):33-37. doi:10.1620/tjem.236.33.
176. Minami Y, Hosokawa T, Nakaya N, et al. Personality and breast cancer risk and survival: the Miyagi Cohort Study. *Breast Cancer Res Treat*. 2015;150(3):675-684. doi:10.1007/s10549-015-3364-9.
177. Tanji F, Kakizaki M, Sugawara Y, et al. Personality and suicide risk: the impact of economic crisis in Japan. *Psychol Med*. 2015;45(3):559-573. doi:10.1017/S0033291714001688.
178. Ehara T, Kamei Y, Yuan X, et al. Ligand-Activated PPAR γ -Dependent DNA Demethylation Regulates the Fatty Acid β -Oxidation Genes in the Postnatal Liver. *Diabetes*. 2015;64(3):775-784. doi:10.2337/db14-0158.
179. Okamura-Oho Y, Shimokawa K, Nishimura M, et al. Broad Integration of Expression Maps and Co-Expression Networks Compassing Novel Gene Functions in the Brain.

- Sci Rep.* 2015;4(1):6969. doi:10.1038/srep06969.
180. Mishima E, Fukuda S, Shima H, et al. Alteration of the Intestinal Environment by Lubiprostone Is Associated with Amelioration of Adenine-Induced CKD. *J Am Soc Nephrol.* 2015;26(8):1787-1794. doi:10.1681/ASN.2014060530.
 181. Sone T, Nakaya N, Iokawa K, et al. Prediction of upper limb recovery in the acute phase of cerebrovascular disease: evaluation of “functional hand” using the manual function test. *J Stroke Cerebrovasc Dis.* 2015;24(4):815-822. doi:10.1016/j.jstrokecerebrovasdis.2014.11.018.
 182. Shimizu K, Nakaya N, Saito-Nakaya K, et al. Personality traits and coping styles explain anxiety in lung cancer patients to a greater extent than other factors. *Jpn J Clin Oncol.* 2015;45(5):456-463. doi:10.1093/jjco/hyv024.
 183. Takahashi K, Shiraishi N, Ishiko-Uzuka R, et al. Biomechanical evaluation of Ti-Nb-Sn alloy implants with a low Young’s modulus. *Int J Mol Sci.* 2015;16(3):5779-5788. doi:10.3390/ijms16035779.
 184. Dendo M, Maeda H, Yamagata Y, et al. Synergistic Effect of Neutral Protease and Clostripain on Rat Pancreatic Islet Isolation. *Transplantation.* 2015;99(7):1349-1355. doi:10.1097/TP.0000000000000662.
 185. Takazawa Y, Ogawa E, Saito R, et al. Notch down-regulation in regenerated epidermis contributes to enhanced expression of interleukin-36 α and suppression of keratinocyte differentiation during wound healing. *J Dermatol Sci.* 2015;79(1):10-19. doi:10.1016/j.jdermsci.2015.04.003.
 186. Watanabe M, Noma H, Kurai J, et al. Decreased pulmonary function in school children in Western Japan after exposures to Asian desert dusts and its association with interleukin-8. *Biomed Res Int.* 2015;2015:583293. doi:10.1155/2015/583293.
 187. Funaki A, Waki T, Noguchi A, et al. Identification of a Highly Specific Isoflavone 7-O-glucosyltransferase in the soybean (*Glycine max* (L.) Merr.). *Plant Cell Physiol.* 2015;56(8):1512-1520. doi:10.1093/pcp/pcv072.
 188. Kimura T, Nishizawa K, Oguma A, et al. Secretin receptor involvement in prion-infected cells and animals. *FEBS Lett.* 2015;589(15):2011-2018. doi:10.1016/j.febslet.2015.05.039.
 189. Tayama J, Nakaya N, Hamaguchi T, et al. Maladjustment to Academic Life and Employment Anxiety in University Students with Irritable Bowel Syndrome. Matsuoka Y, ed. *PLoS One.* 2015;10(6):e0129345. doi:10.1371/journal.pone.0129345.
 190. Satoh M, Tanno Y, Hosaka M, et al. Salt intake and the validity of a salt intake assessment system based on a 24-h dietary recall method in pregnant Japanese women. *Clin Exp Hypertens.* 2015;37(6):459-462.

- doi:10.3109/10641963.2015.1057832.
191. Sekiguchi A. [Self-esteem Saves Brain and Health: Evidence from a Follow-up Investigation after the Great East Japan Earthquake]. *Brain Nerve*. 2015;67(10):1193-1204. doi:10.11477/mf.1416200283.
 192. Watanabe M, Noma H, Kurai J, et al. Variation in the Effect of Particulate Matter on Pulmonary Function in Schoolchildren in Western Japan and Its Relation with Interleukin-8. *Int J Environ Res Public Health*. 2015;12(11):14229-14243. doi:10.3390/ijerph121114229.
 193. Nakagawa S, Takeuchi H, Taki Y, et al. White matter structures associated with loneliness in young adults. *Sci Rep*. 2015;5(1):17001. doi:10.1038/srep17001.
 194. Kakazu E, Mauer AS, Yin M, Malhi H. Hepatocytes Release Ceramide-enriched Proinflammatory Extracellular Vesicles in an IRE1alpha-dependent Manner. *J Lipid Res*. November 2015;jlr.M063412. doi:10.1194/jlr.M063412.
 195. Kitatani K, Usui T, Sriraman SK, et al. Ceramide limits phosphatidylinositol-3-kinase C2β-controlled cell motility in ovarian cancer: potential of ceramide as a metastasis-suppressor lipid. *Oncogene*. 2015;35(21):2801-2812. doi:10.1038/onc.2015.330.
 196. Nakaya N, Nakamura T, Tsuchiya N, et al. Prospect of the future housing and the risk of psychological distress at one year after an earthquake disaster. *Psychiatry Clin Neurosci*. 2015;70(4):182-189. doi:10.1111/pcn.12377.
 197. Miyamoto F, Kawaji K, Oishi S, Fujii N, Kaku M, Kodama EN. Anti-HIV-1 activity determined by β-galactosidase activity in the multinuclear activation of an indicator assay is comparable with that by a conventional focus counting method. *Antivir Chem Chemother*. 2015;24(2):77-82. doi:10.1177/2040206615614164.
 198. de Aguiar Vallim TQ, Tarling EJ, Ahn H, et al. MAFG Is a Transcriptional Repressor of Bile Acid Synthesis and Metabolism. *Cell Metab*. 2015;21(2):298-310. doi:10.1016/j.cmet.2015.01.007.
 199. Ito H, Hozawa A, Yamashita H, et al. Employment status among non-retired cancer survivors in Japan. *Eur J Cancer Care (Engl)*. 2015;24(5):718-723. doi:10.1111/ecc.12304.
 200. Huang C, Tomata Y, Kakizaki M, et al. High circulating adiponectin levels predict decreased muscle strength among older adults aged 70 years and over: A prospective cohort study. *Nutr Metab Cardiovasc Dis*. 2015;25(6):594-601. doi:10.1016/j.numecd.2015.03.010.
 201. Niiranen TJ, Asayama K, Thijs L, et al. Optimal number of days for home blood pressure measurement. *Am J Hypertens*. 2015;28(5):595-603.

- doi:10.1093/ajh/hpu216.
202. Hirayama A, Konta T, Hozawa A, et al. Slight increase in urinary albumin excretion within the normal range predicts incident hypertension in a community-based Japanese population: the Takahata study. *Hypertens Res.* 2015;38(1):56-60. doi:10.1038/hr.2014.117.
 203. Hozawa A, Okamura T. Participants with Treated Hyperlipidemia may be More Health Conscious. *J Atheroscler Thromb.* 2015;22(10):1025-1026. doi:10.5551/jat.ED021.
 204. Sugiyama D, Okamura T, Watanabe M, et al. Risk of hypercholesterolemia for cardiovascular disease and the population attributable fraction in a 24-year Japanese cohort study. *J Atheroscler Thromb.* 2015;22(1):95-107. doi:10.5551/jat.25908.
 205. Takeuchi H, Taki Y, Hashizume H, et al. The Impact of Parent-Child Interaction on Brain Structures: Cross-sectional and Longitudinal Analyses. *J Neurosci.* 2015;35(5):2233-2245. doi:10.1523/JNEUROSCI.0598-14.2015.
 206. Hashimoto T, Takeuchi H, Taki Y, et al. Increased Posterior Hippocampal Volumes in Children with Lower Increase in Body Mass Index: A 3-Year Longitudinal MRI Study. *Dev Neurosci.* 2015;37(2):153-160. doi:10.1159/000370064.
 207. Takeuchi H, Taki Y, Hashizume H, et al. The Impact of Television Viewing on Brain Structures: Cross-Sectional and Longitudinal Analyses. *Cereb Cortex.* 2015;25(5):1188-1197. doi:10.1093/cercor/bht315.
 208. Inoue J, Sato Y, Sinclair R, Tsukamoto K, Nishida M. Rapid genome reshaping by multiple-gene loss after whole-genome duplication in teleost fish suggested by mathematical modeling. *Proc Natl Acad Sci U S A.* 2015;112(48):14918-14923. doi:10.1073/pnas.1507669112.
 209. Yokota S, Takeuchi H, Hashimoto T, et al. Individual differences in cognitive performance and brain structure in typically developing children. *Dev Cogn Neurosci.* 2015;14:1-7. doi:10.1016/j.dcn.2015.05.003.
 210. Takeuchi H, Taki Y, Sekiguchi A, et al. Regional gray matter density is associated with morningness–eveningness: Evidence from voxel-based morphometry. *Neuroimage.* 2015;117:294-304. doi:10.1016/j.neuroimage.2015.05.037.
 211. Hashimoto T, Takeuchi H, Taki Y, et al. Neuroanatomical correlates of the sense of control: Gray and white matter volumes associated with an internal locus of control. *Neuroimage.* 2015;119:146-151. doi:10.1016/j.neuroimage.2015.06.061.
 212. Sato C, Sekiguchi A, Kawai M, et al. Postoperative Structural Brain Changes and Cognitive Dysfunction in Patients with Breast Cancer. Chen K, ed. *PLoS One.* 2015;10(11):e0140655. doi:10.1371/journal.pone.0140655.

213. Takeuchi H, Taki Y, Sekiguchi A, et al. Brain structures in the sciences and humanities. *Brain Struct Funct.* 2015;220(6):3295-3305. doi:10.1007/s00429-014-0857-y.
214. Takeuchi H, Tomita H, Taki Y, et al. The associations among the dopamine D2 receptor Taq1, emotional intelligence, creative potential measured by divergent thinking, and motivational state and these associations' sex differences. *Front Psychol.* 2015;6. doi:10.3389/fpsyg.2015.00912.
215. Takeuchi H, Taki Y, Nouchi R, et al. Degree centrality and fractional amplitude of low-frequency oscillations associated with Stroop interference. *Neuroimage.* 2015;119:197-209. doi:10.1016/j.neuroimage.2015.06.058.
216. Takeuchi H, Taki Y, Sekiguchi A, et al. Amygdala and cingulate structure is associated with stereotype on sex-role. *Sci Rep.* 2015;5:14220. doi:10.1038/srep14220.
217. Magistro D, Takeuchi H, Nejad KK, et al. The Relationship between Processing Speed and Regional White Matter Volume in Healthy Young People. Chen K, ed. *PLoS One.* 2015;10(9):e0136386. doi:10.1371/journal.pone.0136386.
218. Mori T, Sumii M, Fujishima F, et al. Somatic alteration and depleted nuclear expression of BAP1 in human esophageal squamous cell carcinoma. *Cancer Sci.* 2015;106(9):1118-1129. doi:10.1111/cas.12722.
219. Shimanuki M, Abe Y, Tamiya G, Ueki M, Hozumi Y, Suzuki T. Positive selection with diversity in oculocutaneous albinisms type 2 gene (OCA2) among Japanese. *Pigment Cell Melanoma Res.* 2015;28(2):233-235. doi:10.1111/pcmr.12337.
220. Nakajima T, Kitagawa K, Ohhata T, et al. Regulation of GATA-binding protein 2 levels via ubiquitin-dependent degradation by Fbw7: involvement of cyclin B-cyclin-dependent kinase 1-mediated phosphorylation of THR176 in GATA-binding protein 2. *J Biol Chem.* 2015;290(16):10368-10381. doi:10.1074/jbc.M114.613018.
221. Kasai T, Koshiba S, Yokoyama J, Kigawa T. Stable isotope labeling strategy based on coding theory. *J Biomol NMR.* 2015;63(2):213-221. doi:10.1007/s10858-015-9978-8.
222. Koizumi T, Terada T, Nakajima K, et al. Identification of key neoculin residues responsible for the binding and activation of the sweet taste receptor. *Sci Rep.* 2015;5:12947. doi:10.1038/srep12947.
223. Nishikawa K, Iwamoto Y, Kobayashi Y, et al. DNA methyltransferase 3a regulates osteoclast differentiation by coupling to an S-adenosylmethionine-producing metabolic pathway. *Nat Med.* 2015;21(3):281-287. doi:10.1038/nm.3774.
224. Otsuki A, Suzuki M, Katsuoka F, et al. Unique cistrome defined as CsMBE is strictly required for Nrf2-sMaf heterodimer function in cytoprotection. *Free Radic Biol Med.* 2015;91:45-57. doi:10.1016/j.freeradbiomed.2015.12.005.

225. Tsujita T, Baird L, Furusawa Y, et al. Discovery of an NRF1-specific inducer from a large-scale chemical library using a direct NRF1-protein monitoring system. *Genes Cells*. 2015;20(7):563-577. doi:10.1111/gtc.12248.
226. Cui S, Tanabe O, Sierant M, et al. Compound loss of function of nuclear receptors Tr2 and Tr4 leads to induction of murine embryonic β -type globin genes. *Blood*. 2015;125(9):1477-1487. doi:10.1182/blood-2014-10-605022.
227. Ogino D, Hashimoto T, Hattori M, et al. Analysis of the genes responsible for steroid-resistant nephrotic syndrome and/or focal segmental glomerulosclerosis in Japanese patients by whole-exome sequencing analysis. *J Hum Genet*. October 2015. doi:10.1038/jhg.2015.122.
228. Okamura K, Oiso N, Tamiya G, et al. Waardenburg syndrome type IIE in a Japanese patient caused by a novel missense mutation in the SOX10 gene. *J Dermatol*. 2015;42(12):1211-1212. doi:10.1111/1346-8138.13095.
229. Okamura K, Ohe R, Abe Y, et al. Immunohistopathological analysis of frizzled-4-positive immature melanocytes from hair follicles of patients with Rhododendrol-induced leukoderma. *J Dermatol Sci*. 2015;80(2):156-158. doi:10.1016/j.jdermsci.2015.07.015.
230. Okamura Y, Aoki Y, Obayashi T, et al. COXPRESdb in 2015: coexpression database for animal species by DNA-microarray and RNAseq-based expression data with multiple quality assessment systems. *Nucleic Acids Res*. 2015;43(Database issue):D82-6. doi:10.1093/nar/gku1163.
231. Okamura Y, Obayashi T, Kinoshita K. Comparison of Gene Coexpression Profiles and Construction of Conserved Gene Networks to Find Functional Modules. Vandepoele K, ed. *PLoS One*. 2015;10(7):e0132039. doi:10.1371/journal.pone.0132039.
232. Nakano T, Mizoue S, Fuse N, Iwase A, Matsumoto S, Yoshikawa K. Fixed Combination of Travoprost and Timolol Maleate Reduces Intraocular Pressure in Japanese Patients with Primary Open-Angle Glaucoma or Ocular Hypertension: A Prospective Multicenter Open-Label Study. *Adv Ther*. 2015;32(9):823-837. doi:10.1007/s12325-015-0246-9.
233. Li Z, Allingham RR, Nakano M, et al. A common variant near TGFBR3 is associated with primary open angle glaucoma. *Hum Mol Genet*. 2015;24(13):3880-3892. doi:10.1093/hmg/ddv128.
234. 西本光男, 湊敬道, 高橋聡太, 淀川祐紀, 佐藤多代, 菅原準一. 経膈穿刺採卵から2か月後に卵巣膿瘍となった子宮内膜症合併不妊の1例. 岩手県立病院医学会雑誌. 2015;55(1):35-39. <http://jglobal.jst.go.jp/public/201502208333918994>.
235. 濱田裕貴, 菅原準一. 体外受精妊娠の周産期母体管理. 臨床婦人科産科.

- 2015;69(8):764-772. <https://www.igaku-shoin.co.jp/journalDetail.do?journal=36163>.
236. Takeuchi Y, Mishima E, Shima H, et al. Exonic mutations in the SLC12A3 gene cause exon skipping and premature termination in Gitelman syndrome. *J Am Soc Nephrol*. 2015;26(2):271-279. doi:10.1681/ASN.2013091013.
237. Kaneko M, Ohashi H, Takamura T, Kawame H. Psychosocial Responses to being Identified as a Balanced Chromosomal Translocation Carrier: a Qualitative Investigation of Parents in Japan. *J Genet Couns*. 2015;24(6):922-930. doi:10.1007/s10897-015-9828-6.
238. Ogishima S, Takai T, Shimokawa K, Nagaie S, Tanaka H, Nakaya J. Integrated Database And Knowledge Base For Genomic Prospective Cohort Study In Tohoku Medical Megabank Toward Personalized Prevention And Medicine. *Stud Health Technol Inform*. 2015;216:1057. doi:10.3233/978-1-61499-564-7-1057.
239. Nagaie S, Ogishima S, Nakaya J, Tanaka H. A method to associate all possible combinations of genetic and environmental factors using GxE landscape plot. *Bioinformatics*. 2015;11(3):161-164. doi:10.6026/97320630011161.
240. Ogishima S, Tanaka H, Nakaya J. Modularity in the evolution of yeast protein interaction network. *Bioinformatics*. 2015;11(3):127-130. doi:10.6026/97320630011127.
241. Tanaka H, Ogishima S. Network biology approach to epithelial-mesenchymal transition in cancer metastasis: three stage theory. *J Mol Cell Biol*. 2015;7(3):253-266. doi:10.1093/jmcb/mjv035.
242. Tadakawa M, Sugawara J, Saito M, et al. Fertility and pregnancy outcomes following B-Lynch sutures for post-partum hemorrhage. *J Obstet Gynaecol Res*. 2015;41(4):559-564. doi:10.1111/jog.12590.
243. Satoh M, Kikuya M, Hosaka M, et al. Association of aldosterone-to-renin ratio with hypertension differs by sodium intake: the Ohasama study. *Am J Hypertens*. 2015;28(2):208-215. doi:10.1093/ajh/hpu115.
244. Hosaka M, Asayama K, Staessen JA, et al. Relationship between maternal gestational hypertension and home blood pressure in 7-year-old children and their mothers: Tohoku Study of Child Development. *Hypertens Res*. 2015;38(11):776-782. doi:10.1038/hr.2015.63.
245. Hosaka M, Metoki H, Satoh M, et al. Randomized trial comparing the velocities of the antihypertensive effects on home blood pressure of candesartan and candesartan with hydrochlorothiazide. *Hypertens Res*. 2015;38(10):701-707. doi:10.1038/hr.2015.64.
246. Iwama N, Metoki H, Ohkubo T, et al. Maternal clinic and home blood pressure

- measurements during pregnancy and infant birth weight: the BOSHI study. *Hypertens Res.* October 2015. doi:10.1038/hr.2015.108.
247. Nakamura T, Douke H. A SEQUENTIAL MULTIPLE COMPARISON PROCEDURE FOR DETECTING A LOWEST DOSE HAVING INTERACTION IN A DOSE-RESPONSE TEST. *J Japanese Soc Comput Stat.* 2015;28(1):1-14. doi:10.5183/jjscs.1406001_212.
248. Sawai H, Takai-Igarashi T, Tanaka H. Identification of collaborative activities with oxidative phosphorylation in bipolar disorder. *Bioinformatics.* 2015;11(4):207-216. doi:10.6026/97320630011207.
249. Suzuki A, Takai-Igarashi T, Nakaya J, Tanaka H. Development of an Ontology for Periodontitis. *J Biomed Semantics.* 2015;6(1):30. doi:10.1186/s13326-015-0028-y.
250. Hori-Tanaka Y, Yura K, Takai-Igarashi T, Tanaka H. Structural classification of steroid-binding sites on proteins by coarse-grained atomic environment and its correlation with their biological function. *Steroids.* 2015;96:81-88. doi:10.1016/j.steroids.2015.01.015.
251. Ehara T, Kamei Y, Yuan X, et al. Ligand-Activated PPAR α -Dependent DNA Demethylation Regulates the Fatty Acid β -Oxidation Genes in the Postnatal Liver. *Diabetes.* 2015;64(3):775-784. doi:10.2337/db14-0158.
252. Aoki-Kinoshita KF, Kinjo AR, Morita M, et al. Implementation of linked data in the life sciences at BioHackathon 2011. *J Biomed Semantics.* 2015;6(1):3. doi:10.1186/2041-1480-6-3.
253. Enomoto H, Kadowaki S, Abe M, et al. The inter-individual variability of quadripulse stimulation (QPS). *Brain Stimul.* 2015;8(2):336–337. doi:10.1016/j.brs.2015.01.089.
254. Hanajimaa R, Tanaka N, Tsutsumia R, et al. Age influence on the quadri-pulse stimulation (QPS) induced LTP like effect. *Brain Stimul.* 2015;8(2):335. doi:10.1016/j.brs.2015.01.084.
255. Endo S, Mishima E, Takeuchi Y, et al. Periodontitis-associated septic pulmonary embolism caused by *Actinomyces* species identified by anaerobic culture of bronchoalveolar lavage fluid: a case report. *BMC Infect Dis.* 2015. doi:10.1186/s12879-015-1286-0.
256. Mashimo Y, Yageta-Sakurai M, Watanabe M, et al. Induction of the Matrix Metalloproteinase 13 Gene in Bronchial Epithelial Cells by Interferon and Identification of its Novel Functional Polymorphism. *Inflammation.* December 2015. doi:10.1007/s10753-015-0291-1.
257. Yamaguchi-Kabata Y, Nariai N, Kawai Y, et al. iJGVD: an integrative Japanese genome variation database based on whole-genome sequencing. *Hum Genome Var.*

- 2015;2:15050. doi:10.1038/hgv.2015.50.
258. Miyashita M, Kikuya M, Yamanaka C, et al. Eczema and Asthma Symptoms among Schoolchildren in Coastal and Inland Areas after the 2011 Great East Japan Earthquake: The ToMMo Child Health Study. *Tohoku J Exp Med*. 2015;237(4):297-305. doi:10.1620/tjem.237.297.
259. Hino-Fukuyo N, Kikuchi A, Arai-Ichinoi N, et al. Genomic analysis identifies candidate pathogenic variants in 9 of 18 patients with unexplained West syndrome. *Hum Genet*. 2015;134(6):649-658. doi:10.1007/s00439-015-1553-6.
260. 小林朋子, 川目裕. 【こどもの病気 遺伝について聞かれたら】 頭蓋骨縫合早期癒合症候群. 診断と治療社. 2015;4:174-176.
<http://www.shindan.co.jp/books/index.php?menu=10&cd=205900&kbn=1>.
261. 高橋孝子, 笠原賀子, 佐藤ゆき. 保育所給食のある日とない日の幼児の栄養素摂取量の比較. 神戸女子大学家政学部紀要. 2015;48:39-46.
<http://www.yg.kobe-wu.ac.jp/doc/wu/kasei03/HTML/index31.html>.
262. 佐藤ゆき, 加藤忠明, 顧艶紅. 4歳児の母親の不安抑うつ症状と周囲の育児サポート状況との関連. 小児保健研究. 2015;74(4):506-512.
<http://post.neet-system.com/naid/40020545322>.
263. Tsukazaki H, Yaguchi S, Sato S, et al. Development of transcriptome shotgun assembly-derived markers in bunching onion (*Allium fistulosum*). *Mol Breed*. 2015;35(1):55. doi:10.1007/s11032-015-0265-x.
264. Yamazaki I, Kimura F, Nakagawa K, et al. Heterogeneity of the Fatty Acid Composition of Japanese Placentae for Determining the Perinatal Fatty Acid Status: a Methodological Study. *J Oleo Sci*. 2015;64(8):905-914. doi:10.5650/jos.ess15071.
265. Oba K, Noriuchi M, Atomi T, Moriguchi Y, Kikuchi Y. Memory and reward systems coproduce “nostalgic” experiences in the brain. *Soc Cogn Affect Neurosci*. 2015. doi:nsv073 [pii] 10.1093/scan/nsv073.
266. 田中由佳里, 福土審. 脳画像と自律神経系—消化管機能と脳機能画像. *Annu Rev 2015 神経*. 2015;第3章-10: 245-251. http://www.medbooks.or.jp/publications/?p_key=62353.
267. Shigeta S, Toyoshima M, Kitatani K, Ishibashi M, Usui T, Yaegashi N. Transferrin facilitates the formation of DNA double-strand breaks via transferrin receptor 1: the possible involvement of transferrin in carcinogenesis of high-grade serous ovarian cancer. *Oncogene*. November 2015. doi:10.1038/onc.2015.425.
268. Nakaya N, Nakamura T, Tsuchiya N, Tsuji I, Hozawa A, Tomita H. Unemployment risk among individuals undergoing medical treatment for chronic diseases. *Occup Med*. 2015. doi:10.1093/occmed/kqv159.
269. Norimatsu Y, Kawashima J, Takano-Yamamoto T, Takahashi N. Nitrogenous

- compounds stimulate glucose-derived acid production by oral *Streptococcus* and *Actinomyces*. *Microbiol Immunol*. 2015;59(9):501-506. doi:10.1111/1348-0421.12283.
270. 石黒真美, 目時弘仁. PIH既往女性の分娩後の血圧管理. 産科と婦人科. 2015;8(59):903-908.
<http://www.shindan.co.jp/books/index.php?menu=01&cd=3150800&kbn=2#toku>.
271. Ishikuro M, Obara T, Metoki H, et al. Differences between clinic and home blood pressure measurements during pregnancy. *J Hypertens*. 2015;33(7):1492-1493. doi:10.1097/HJH.0000000000000608.
272. Ishikuro M, Obara T, Metoki H, et al. Parity as a factor affecting the white-coat effect in pregnant women: the BOSHI study. *Hypertens Res*. 2015;38(11):770-775. doi:10.1038/hr.2015.97.
273. Matsubara H, Ishikuro M, Kikuya M, et al. Design of the Nationwide Nursery School Survey on Child Health Throughout the Great East Japan Earthquake. *J Epidemiol*. October 2015. doi:10.2188/jea.JE20150073.
274. Miya M, Sato Y, Fukunaga T, et al. MiFish, a set of universal PCR primers for metabarcoding environmental DNA from fishes: detection of more than 230 subtropical marine species. *R Soc Open Sci*. 2015;2(7):150088. doi:10.1098/rsos.150088.
275. 中村智洋, 八木圭太, 山本義郎, 道家暎幸. 用量反応試験における交互作用検出のための逐次型多重比較法について. 日本統計学会和文誌. 2015;40(2):315-339.
<http://ci.nii.ac.jp/naid/110009828419>.
276. Sato H, Uchida T, Toyota K, et al. Association of neonatal hyperbilirubinemia in breast-fed infants with UGT1A1 or SLCOs polymorphisms. *J Hum Genet*. 2015;60(1):35-40. doi:10.1038/jhg.2014.98.
277. Kitatani K, Taniguchi M, Okazaki T. Role of Sphingolipids and Metabolizing Enzymes in Hematological Malignancies. *Mol Cells*. 2015;38(6):482-495. doi:10.14348/molcells.2015.0118.
278. Kitatani K, Wada M, Perry D, et al. Activation of p38 Mitogen-Activated Protein Kinase in Gaucher's Disease. *PLoS One*. 2015;10(8):e0136633. doi:10.1371/journal.pone.0136633.
279. Taniguchi M, Ogiso H, Takeuchi T, Kitatani K, Umehara H, Okazaki T. Lysosomal ceramide generated by acid sphingomyelinase triggers cytosolic cathepsin B-mediated degradation of X-linked inhibitor of apoptosis protein in natural killer/T lymphoma cell apoptosis. *Cell Death Dis*. 2015;6:e1717. doi:10.1038/cddis.2015.82.
280. Mashiko S, Kitatani K, Toyoshima M, et al. Inhibition of plasminogen activator inhibitor-1 is a potential therapeutic strategy in ovarian cancer. *Cancer Biol Ther*.

- 2015;16(2):253-260. doi:10.1080/15384047.2014.1001271.
281. Asai T, Tsukada K, Ise S, et al. Use of a biosynthetic intermediate to explore the chemical diversity of pseudo-natural fungal polyketides. *Nat Chem*. 2015;7(9):737-743. doi:10.1038/nchem.2308.
282. Ito D, Cao P, Kakihana T, et al. Chronic Running Exercise Alleviates Early Progression of Nephropathy with Upregulation of Nitric Oxide Synthases and Suppression of Glycation in Zucker Diabetic Rats. Sen U, ed. *PLoS One*. 2015;10(9):e0138037. doi:10.1371/journal.pone.0138037.
283. Keleku-Lukwete N, Suzuki M, Otsuki A, et al. Amelioration of inflammation and tissue damage in sickle cell model mice by Nrf2 activation. *Proc Natl Acad Sci*. September 2015:201509158. doi:10.1073/pnas.1509158112.
284. Lebowitz A, Tsai AY-J, Forester BP, Tomita H, Shigemura J, Takahashi Y. Possibilities for a Composite Approach: Summary of the Disaster Gerontology Panel at the International College of Geriatric Psychoneuropharmacology Annual Meeting (ICGP-2014). *Disaster Med Public Health Prep*. July 2015:1-2. doi:10.1017/dmp.2015.87.
285. Nagasaki M, Yasuda J, Katsuoka F, et al. Rare variant discovery by deep whole-genome sequencing of 1,070 Japanese individuals. *Nat Commun*. 2015;6:8018. doi:10.1038/ncomms9018.
286. Suzuki T, Yamaguchi H, Kikusato M, et al. Mitochonic Acid 5 (MA-5), a Derivative of the Plant Hormone Indole-3-Acetic Acid, Improves Survival of Fibroblasts from Patients with Mitochondrial Diseases. *Tohoku J Exp Med*. 2015;236(3):225-232. doi:10.1620/tjem.236.225.
287. Iwamori S, Sato E, Saigusa D, et al. A Novel and Sensitive Assay for Heme Oxygenase Activity. *Am J Physiol Ren Physiol*. 2015:ajprenal 00210 2015. doi:10.1152/ajprenal.00210.2015.
288. Saito T, Honda M, Takahashi M, et al. Functional characterization of 10 CYP4A11 allelic variants to evaluate the effect of genotype on arachidonic acid omega-hydroxylation. *Drug Metab Pharmacokinet*. 2015;30(1):119-122. doi:10.1016/j.dmpk.2014.09.001.
289. Satoh M, Hosaka M, Asayama K, et al. Association between N-terminal pro B-type natriuretic peptide and day-to-day blood pressure and heart rate variability in a general population: the Ohasama study. *J Hypertens*. 2015;28(2):1. doi:10.1097/HJH.0000000000000570.
290. Sato Y, Yamagishi J, Yamashita R, et al. Inter-Individual Differences in the Oral Bacteriome Are Greater than Intra-Day Fluctuations in Individuals.

- Martinez-Abarca F, ed. *PLoS One*. 2015;10(6):e0131607.
doi:10.1371/journal.pone.0131607.
291. 河合洋介, 三森隆広, 小島要, 成相直樹, 長崎正朗. ジャポニカアレイの設計と全ゲノムインピュテーションによる活用. *Med Sci Dig*. 2015;41(5):34-37.
http://hokuryukan-ns.co.jp/magazines/archives/2015/04/medical_science_135.html.
292. Kawai Y, Mimori T, Kojima K, et al. Japonica array: improved genotype imputation by designing a population-specific SNP array with 1070 Japanese individuals. *J Hum Genet*. 2015. doi:10.1038/jhg.2015.68.
293. Kikuya M, Miyashita M, Yamanaka C, et al. Protocol and Research Perspectives of the ToMMo Child Health Study after the 2011 Great East Japan Earthquake. *Tohoku J Exp Med*. 2015;236(2):123-130. doi:10.1620/tjem.236.123.
294. Obara T, Abe S, Satoh M, Gutiérrez Ubeda SR, Yoshimachi S, Goto T. Awareness regarding clinical application of pharmacogenetics among Japanese pharmacists. *Pharmgenomics Pers Med*. 2015;8:35-41. doi:10.2147/PGPM.S71813.
295. Obara T, Ubeda SRG, Ohkubo T, et al. Awareness of the Japanese Society of Hypertension Guidelines for the Management of Hypertension and their use in clinical practices: 2009 survey results. *Hypertens Res*. April 2015.
doi:10.1038/hr.2015.21.
296. Hasegawa J, Hidaka H, Kuriyama S, et al. Change in and Long-Term Investigation of Neuro-Otologic Disorders in Disaster-Stricken Fukushima Prefecture: Retrospective Cohort Study before and after the Great East Japan Earthquake. *PLoS One*. 2015;10(4):e0122631. doi:10.1371/journal.pone.0122631.
297. Nishigori H, Sasaki M, Obara T, et al. Correlation Between the Great East Japan Earthquake and Postpartum Depression: A Study in Miyako, Iwate, Japan. *Disaster Med Public Health Prep*. 2015;9(3):307-312. doi:0.1017/dmp.2015.51.
298. Yamada T, Abei M, Danjoh I, et al. Identification of a unique hepatocellular carcinoma line, Li-7, with CD13(+) cancer stem cells hierarchy and population change upon its differentiation during culture and effects of sorafenib. *BMC Cancer*. 2015;15(1). doi:10.1186/s12885-015-1297-7.
299. Matsuo H, Yamamoto K, Nakaoka H, et al. Genome-wide association study of clinically defined gout identifies multiple risk loci and its association with clinical subtypes. *Ann Rheum Dis*. 2015. doi:10.1136/annrheumdis-2014-206191.
300. Nakagawa S, Takeuchi H, Taki Y, et al. Comprehensive neural networks for guilty feelings in young adults. *Neuroimage*. 2015;105:248-256.
doi:10.1016/j.neuroimage.2014.11.004.
301. Takeuchi H, Taki Y, Nouchi R, et al. The structure of the amygdala associates with

- human sexual permissiveness: evidence from voxel-based morphometry. *Hum Brain Mapp.* 2015;36(2):440-448. doi:10.1002/hbm.22638.
302. Takeuchi H, Taki Y, Sekiguchi A, et al. Mean diffusivity of globus pallidus associated with verbal creativity measured by divergent thinking and creativity-related temperaments in young healthy adults. *Hum Brain Mapp.* 2015;36(5):1808-1827. doi:10.1002/hbm.22739.
303. Yokoyama R, Nozawa T, Takeuchi H, et al. Regional gray matter density associated with cognitive reflectivity-impulsivity: evidence from voxel-based morphometry. *PLoS One.* 2015;10(3):e0122666. doi:10.1371/journal.pone.0122666.
304. Takeuchi H, Tomita H, Taki Y, et al. Cognitive and neural correlates of the 5-repeat allele of the dopamine D4 receptor gene in a population lacking the 7-repeat allele. *Neuroimage.* 2015;110:124-135. doi:10.1016/j.neuroimage.2015.01.053.
305. Nozawa T, Taki Y, Kanno A, et al. Effects of Different Types of Cognitive Training on Cognitive Function, Brain Structure, and Driving Safety in Senior Daily Drivers: A Pilot Study. *Behav Neurol.* 2015;2015:1-18. doi:10.1155/2015/525901.
306. Takeuchi H, Taki Y, Nouchi R, et al. Working memory training impacts the mean diffusivity in the dopaminergic system. *Brain Struct Funct.* 2015;220(6):3101-3111. doi:10.1007/s00429-014-0845-2.
307. Sekiguchi A, Kotozaki Y, Sugiura M, et al. Resilience after 3/11: structural brain changes 1 year after the Japanese earthquake. *Mol Psychiatry.* 2015;20(5):553-554. doi:10.1038/mp.2014.28.
308. Nakaya N, Nakamura T, Tsuchiya N, Tsuji I, Hozawa A, Tomita H. The Association Between Medical Treatment of Physical Diseases and Psychological Distress After the Great East Japan Earthquake: The Shichigahama Health Promotion Project. *Disaster Med Public Health Prep.* 2015. doi:10.1017/dmp.2015.52.
309. Yu Z, Ono C, Aiba S, et al. Therapeutic concentration of lithium stimulates complement C3 production in dendritic cells and microglia via GSK-3 inhibition. *Glia.* 2015;63(2):257-270. doi:10.1002/glia.22749.
310. Nariai N, Kojima K, Saito S, et al. HLA-VBSeq: accurate HLA typing at full resolution from whole-genome sequencing data. *BMC Genomics.* 2015;16((Suppl 2):S7). <http://www.biomedcentral.com/qc/1471-2164/16/S2/S7>.
311. Mimori T, Nariai N, Kojima K, et al. Estimating copy numbers of alleles from population-scale high-throughput sequencing data. *BMC Bioinformatics.* 2015;16((Suppl 1):S4). doi:10.1186/1471-2105-16-S1-S4.
312. Tatewaki Y, Higano S, Taki Y, et al. Regional Reliability of Quantitative Signal Targeting with Alternating Radiofrequency (STAR) Labeling of Arterial Regions

- (QUASAR). *J Neuroimaging*. 2014;24(6):554-561. doi:10.1111/jon.12076.
313. Noguchi A, Horikawa M, Murata J, et al. Mode-of-action and evolution of methylenedioxy bridge forming P450s in plant specialized metabolism. *Plant Biotechnol*. 2014;31(5):493-503. doi:10.5511/plantbiotechnology.14.0828a.
314. FANTOM Consortium and the RIKEN PMI and CLST (DGT) TFC and the RP and C, Forrest ARR, Kawaji H, et al. A promoter-level mammalian expression atlas. *Nature*. 2014;507(7493):462-470. doi:10.1038/nature13182.
315. Tsubota-Utsugi M, Satoh M, Hosaka M, et al. Personality Traits as Predictors of Decline in Higher-Level Functional Capacity over a 7-Year Follow-Up in Older Adults: The Ohasama Study. *Tohoku J Exp Med*. 2014;234(3):197-207. doi:10.1620/tjem.234.197.
316. Matsumoto A, Satoh M, Kikuya M, et al. Day-to-Day Variability in Home Blood Pressure Is Associated With Cognitive Decline: The Ohasama Study. *Hypertension*. 2014;63(6):1333-1338. doi:10.1161/HYPERTENSIONAHA.113.01819.
317. Hase T, Kikuchi K, Ghosh S, Kitano H, Tanaka H. Identification of drug-target modules in the human protein-protein interaction network. *Artif Life Robot*. 2014;19(4):406-413. doi:10.1007/s10015-014-0178-5.
318. Imai E, Tsubota-Utsugi M, Kikuya M, et al. Animal Protein Intake Is Associated with Higher-Level Functional Capacity in Elderly Adults: The Ohasama Study. *J Am Geriatr Soc*. 2014;62(3):426-434. doi:10.1111/jgs.12690.
319. Watanabe M, Kurai J, Tomita K, et al. Effects on asthma and induction of interleukin-8 caused by Asian dust particles collected in western Japan. *J Asthma*. 2014;51(6):595-602. doi:10.3109/02770903.2014.903965.
320. Saigo T, Tayama J, Hamaguchi T, et al. Gastrointestinal specific anxiety in irritable bowel syndrome: validation of the Japanese version of the visceral sensitivity index for university students. *Biopsychosoc Med*. 2014;8(1):10. doi:10.1186/1751-0759-8-10.
321. Nakaya N, Kogure M, Saito-Nakaya K, et al. The association between self-reported history of physical diseases and psychological distress in a community-dwelling Japanese population: the Ohsaki Cohort 2006 Study. *Eur J Public Health*. 2014;24(1):45-49. doi:10.1093/eurpub/ckt017.
322. Nakaya N. Effect of Psychosocial Factors on Cancer Risk and Survival. *J Epidemiol*. 2014;24(1):1-6. doi:10.2188/jea.JE20130124.
323. Tsuchiya M, Hashimoto M, Takenaka Y, Motoike IN, Yoshikawa K. Global Genetic Response in a Cancer Cell: Self-Organized Coherent Expression Dynamics. Chialvo DR, ed. *PLoS One*. 2014;9(5):e97411. doi:10.1371/journal.pone.0097411.
324. Asano K, Taki Y, Hashizume H, et al. Healthy children show gender differences in

- correlations between nonverbal cognitive ability and brain activation during visual perception. *Neurosci Lett.* 2014;577:66-71. doi:10.1016/j.neulet.2014.06.015.
325. Takehana Y, Matsuda M, Myosho T, et al. Co-option of Sox3 as the male-determining factor on the Y chromosome in the fish *Oryzias dancena*. *Nat Commun.* 2014;5. doi:10.1038/ncomms5157.
326. Kashkouli Nejad K, Sugiura M, Thyreau B, et al. Spinal fMRI of Interoceptive Attention/Awareness in Experts and Novices. *Neural Plast.* 2014;2014:1-7. doi:10.1155/2014/679509.
327. Yamagishi J, Natori A, Tolba MEM, et al. Interactive transcriptome analysis of malaria patients and infecting *Plasmodium falciparum*. *Genome Res.* 2014;24(9):1433-1444. doi:10.1101/gr.158980.113.
328. Ueki M. On the choice of degrees of freedom for testing gene-gene interactions. *Stat Med.* 2014;33(28):4934-4948. doi:10.1002/sim.6264.
329. Li N, Yamasaki K, Saito R, et al. Alarmin Function of Cathelicidin Antimicrobial Peptide LL37 through IL-36 γ Induction in Human Epidermal Keratinocytes. *J Immunol.* 2014;193(10):5140-5148. doi:10.4049/jimmunol.1302574.
330. Cui S, Tanabe O, Lim K-C, et al. PGC-1 Coactivator Activity Is Required for Murine Erythropoiesis. *Mol Cell Biol.* 2014;34(11):1956-1965. doi:10.1128/MCB.00247-14.
331. Sekiguchi A, Kotozaki Y, Sugiura M, et al. Long-Term Effects of Postearthquake Distress on Brain Microstructural Changes. *Biomed Res Int.* 2014;2014:1-7. doi:10.1155/2014/180468.
332. Nouchi R, Taki Y, Takeuchi H, et al. Four weeks of combination exercise training improved executive functions, episodic memory, and processing speed in healthy elderly people: evidence from a randomized controlled trial. *Age (Dordr).* 2014;36(2):787-799. doi:10.1007/s11357-013-9588-x.
333. Maeda K, Desai D V, Aoki M, Nakata H, Kodama EN, Mitsuya H. Delayed emergence of HIV-1 variants resistant to 4'-ethynyl-2'-fluoro-2'-deoxyadenosine: comparative sequential passage study with lamivudine, tenofovir, emtricitabine and BMS-986001. *Antivir Ther.* 2014;19(2):179-189. doi:10.3851/IMP2697.
334. Hirotsu Y, Higashi C, Fukutomi T, et al. Transcription factor NF-E2-related factor 1 impairs glucose metabolism in mice. *Genes to Cells.* 2014;19(8):650-665. doi:10.1111/gtc.12165.
335. Yamazaki H, Suzuki M, Otsuki A, et al. A Remote GATA2 Hematopoietic Enhancer Drives Leukemogenesis in *inv(3)(q21;q26)* by Activating EVI1 Expression. *Cancer Cell.* 2014;25(4):415-427. doi:10.1016/j.ccr.2014.02.008.
336. Yagishita Y, Fukutomi T, Sugawara A, et al. Nrf2 protects pancreatic β -cells from

- oxidative and nitrosative stress in diabetic model mice. *Diabetes*. 2014;63(2):605-618. doi:10.2337/db13-0909.
337. Suzuki M, Yamamoto M, Engel JD. Fetal globin gene repressors as drug targets for molecular therapies to treat the β -globinopathies. *Mol Cell Biol*. 2014;34(19):3560-3569. doi:10.1128/MCB.00714-14.
338. Yamanouchi S, Ishii T, Morino K, et al. Streamlining of medical relief to areas affected by the Great East Japan earthquake with the “area-based/line-linking support system”. *Prehosp Disaster Med*. 2014;29(6):614-622. doi:10.1017/S1049023X14001095.
339. Nomura K, Asayama K, Thijs L, et al. Thresholds for conventional and home blood pressure by sex and age in 5018 participants from 5 populations. *Hypertension*. 2014;64(4):695-701. doi:10.1161/HYPERTENSIONAHA.114.03839.
340. Stergiou GS, Asayama K, Thijs L, et al. Prognosis of white-coat and masked hypertension: International Database of HOme blood pressure in relation to Cardiovascular Outcome. *Hypertension*. 2014;63(4):675-682. doi:10.1161/HYPERTENSIONAHA.113.02741.
341. Miyagawa N, Miura K, Okuda N, et al. Long-chain n-3 polyunsaturated fatty acids intake and cardiovascular disease mortality risk in Japanese: a 24-year follow-up of NIPPON DATA80. *Atherosclerosis*. 2014;232(2):384-389. doi:10.1016/j.atherosclerosis.2013.11.073.
342. Hashizume H, Taki Y, Sassa Y, et al. Developmental changes in brain activation involved in the production of novel speech sounds in children. *Hum Brain Mapp*. 2014;35(8):4079-4089. doi:10.1002/hbm.22460.
343. Sumiyoshi A, Taki Y, Nonaka H, Takeuchi H, Kawashima R. Regional gray matter volume increases following 7days of voluntary wheel running exercise: A longitudinal VBM study in rats. *Neuroimage*. 2014;98:82-90. doi:10.1016/j.neuroimage.2014.04.075.
344. Asano M, Taki Y, Hashizume H, et al. Correlations between brain structures and study time at home in healthy children: a longitudinal analysis. *Brain Behav*. 2014;4(6):801-811. doi:10.1002/brb3.278.
345. Katayama T, Wilkinson MD, Aoki-Kinoshita KF, et al. BioHackathon series in 2011 and 2012: penetration of ontology and linked data in life science domains. *J Biomed Semantics*. 2014;5(1):5. doi:10.1186/2041-1480-5-5.
346. Iwano M, Igarashi M, Tarutani Y, et al. A pollen coat-inducible autoinhibited Ca^{2+} -ATPase expressed in stigmatic papilla cells is required for compatible pollination in the Brassicaceae. *Plant Cell*. 2014;26(2):636-649.

- doi:10.1105/tpc.113.121350.
347. Obayashi T, Okamura Y, Ito S, et al. ATTED-II in 2014: evaluation of gene coexpression in agriculturally important plants. *Plant Cell Physiol.* 2014;55(1):e6. doi:10.1093/pcp/pct178.
 348. Kasahara K, Kinoshita K. GIANT: pattern analysis of molecular interactions in 3D structures of protein–small ligand complexes. *BMC Bioinformatics.* 2014;15(1):12. doi:10.1186/1471-2105-15-12.
 349. 富田博秋. 東日本大震災から4年目を控えて感じること. *精神医学.* 2014;56(12):994--995. <http://medicalfinder.jp/doi/abs/10.11477/mf.1405204062>.
 350. Shi L, Lin Y-H, Sierant MC, et al. Developmental transcriptome analysis of human erythropoiesis. *Hum Mol Genet.* 2014;23(17):4528-4542. doi:10.1093/hmg/ddu167.
 351. Shi L, Sierant MC, Gurdziel K, et al. Biased, non-equivalent gene-proximal and -distal binding motifs of orphan nuclear receptor TR4 in primary human erythroid cells. Snyder M, ed. *PLoS Genet.* 2014;10(5):e1004339. doi:10.1371/journal.pgen.1004339.
 352. Kunikata H, Aizawa N, Fuse N, Abe T, Nakazawa T. 25-gauge microincision vitrectomy to treat vitreoretinal disease in glaucomatous eyes after trabeculectomy. *J Ophthalmol.* 2014;2014:306814. doi:10.1155/2014/306814.
 353. Mizoue S, Nakano T, Fuse N, Iwase A, Matsumoto S, Yoshikawa K. Travoprost with sofZia® preservative system lowered intraocular pressure of Japanese normal tension glaucoma with minimal side effects. *Clin Ophthalmol.* 2014;8:347-354. doi:10.2147/OPTH.S57640.
 354. 黒澤靖大, 濱田裕貴, 菅原準一. 【異常の早期発見 胎児心拍数モニタリングの読み方 医師との共通認識、冷静な判断につながる最新知識】 飛び込み分娩で救急搬送され、胎児心拍数異常から緊急帝王切開となった事例. *臨床助産ケア：スキルの強化.* 2014;6(5):31-38.
 355. Miyashita A, Hatsuta H, Kikuchi M, et al. Genes associated with the progression of neurofibrillary tangles in Alzheimer's disease. *Transl Psychiatry.* 2014;4(6):e396. doi:10.1038/tp.2014.35.
 356. Nakaya J, Kimura M, Ogishima S, et al. Future Direction of IMIA Standardization. Report from the IMIA Standardization Working Group. *Yearb Med Inform.* 2014;9(1):105-109. doi:10.15265/IY-2014-0010.
 357. Suenaga K, Kitahara S, Suzuki Y, et al. Role of the vasohibin family in the regulation of fetoplacental vascularization and syncytiotrophoblast formation. *PLoS One.* 2014;9(9):e104728. doi:10.1371/journal.pone.0104728.
 358. Asayama K, Thijs L, Brguljan-Hitij J, et al. Risk stratification by self-measured home

- blood pressure across categories of conventional blood pressure: a participant-level meta-analysis. *PLoS Med.* 2014;11(1):e1001591. doi:10.1371/journal.pmed.1001591.
359. Aparicio LS, Thijs L, Asayama K, et al. Reference frame for home pulse pressure based on cardiovascular risk in 6470 subjects from 5 populations. *Hypertens Res.* 2014;37(7):672-678. doi:10.1038/hr.2014.45.
360. Yamagishi J, Wakaguri H, Yokoyama N, et al. The Babesia bovis gene and promoter model: an update from full-length EST analysis. *BMC Genomics.* 2014;15(1):678. doi:10.1186/1471-2164-15-678.
361. Suzuki A, Wakaguri H, Yamashita R, et al. DBTSS as an integrative platform for transcriptome, epigenome and genome sequence variation data. *Nucleic Acids Res.* 2014;43(D1):D87-D91. doi:10.1093/nar/gku1080.
362. Iwasaki Y, Suganami T, Hachiya R, et al. Activating Transcription Factor 4 Links Metabolic Stress to Interleukin-6 Expression in Macrophages. *Diabetes.* 2014;63(1):152-161. doi:10.2337/db13-0757.
363. Hatazawa Y, Tadaishi M, Nagaike Y, et al. PGC-1 α -Mediated Branched-Chain Amino Acid Metabolism in the Skeletal Muscle. Csernoch L, ed. *PLoS One.* 2014;9(3):e91006. doi:10.1371/journal.pone.0091006.
364. Kuragano T, Matsumura O, Matsuda A, et al. Association between hemoglobin variability, serum ferritin levels, and adverse events/mortality in maintenance hemodialysis patients. *Kidney Int.* 2014;86(4):845-854. doi:10.1038/ki.2014.114.
365. 小林朋子, 川目裕. Robinow症候群. 別冊 新領域別症候群シリーズ 神経症候群 (第2版) IV. 2014;29:661-662.
http://www.nippon-rinsho.co.jp/backnum/s_mokuji/7209sinkei4.html.
366. 小林朋子, 川目裕. Roberts症候群 / SCアザラシ肢症候群. 別冊 新領域別症候群シリーズ 神経症候群 (第2版) IV. 2014;29:658-660.
http://www.nippon-rinsho.co.jp/backnum/s_mokuji/7209sinkei4.html.
367. Atomi T, Noriuchi M, Oba K, Atomi Y, Kikuchi Y. Self-recognition of one's own fall recruits the genuine bodily crisis-related brain activity. *PLoS One.* 2014;9(12):e115303. doi:10.1371/journal.pone.0115303 PONE-D-14-23239 [pii].
368. Takezawa Y, Kato K, Oota H, et al. Human genetic research, race, ethnicity and the labeling of populations: recommendations based on an interdisciplinary workshop in Japan. *BMC Med Ethics.* 2014;15:33. doi:10.1186/1472-6939-15-33.
369. Morihara T, Hayashi N, Yokokoji M, et al. Transcriptome analysis of distinct mouse strains reveals kinesin light chain-1 splicing as an amyloid-beta accumulation modifier. *Proc Natl Acad Sci U S A.* 2014;111(7):2638-2643. doi:10.1073/pnas.1307345111.

370. Nakamura T, Yamamoto Y, Douke H. Sequential Hypothesis Tests For Identifying The Minimum Dose With A Threshold Effect. *Commun Stat - Simul Comput*. June 2014;00-00. doi:10.1080/03610918.2014.884588.
371. Yoshizawa J, Abe Y, Oiso N, et al. Variants in melanogenesis-related genes associate with skin cancer risk among Japanese populations. *J Dermatol*. 2014;41(4):296-302. doi:10.1111/1346-8138.12432.
372. Felizola SJA, Nakamura Y, Satoh F, et al. Glutamate receptors and the regulation of steroidogenesis in the human adrenal gland: The metabotropic pathway. *Mol Cell Endocrinol*. 2014;382(1):170-177. doi:10.1016/j.mce.2013.09.025.
373. Perry DM, Newcomb B, Adada M, et al. Defining a role for acid sphingomyelinase in the p38/interleukin-6 pathway. *J Biol Chem*. 2014;289(32):22401-22412. doi:10.1074/jbc.M114.589648.
374. 富田博秋. 災害精神医学に関する研究の課題. *精神神経学雑誌*. 2014;116: 231-237, 2014. <https://journal.jspn.or.jp/Disp?style=abst&vol=116&year=2014&mag=0&number=3&start=231>.
375. Nakanaga K, Hama K, Kano K, et al. Overexpression of autotaxin, a lysophosphatidic acid-producing enzyme, enhances cardiac fibrosis induced by hypo-sphingosine-1-phosphate signaling in zebrafish embryo. *J Biochem*. 2014;155(4):235-241. doi:10.1093/jb/mvt114.
376. Saigusa D, Okudaira M, Wang J, Kano K, Kurano M, Uranbileg B, Ikeda H, Yatomi Y, Motohashi H, J A. Simultaneous quantification of sphingolipids in small quantities of liver by LC-MS/MS. *Mass Spectrom*. 2014;3:S0046. doi:10.5702/massspectrometry.S0046.
377. Mullen W, Saigusa D, Abe T, Adamski J, Mischak H. Proteomics and Metabolomics as Tools to Unravel Novel Culprits and Mechanisms of Uremic Toxicity: Instrument or Hype? *Semin Nephrol*. 2014;34(2):180-190. doi:10.1016/j.semnephrol.2014.02.009.
378. Okudaira M, Inoue A, Shuto A, et al. Separation and quantification of 2-acyl-1-lysophospholipids and 1-acyl-2-lysophospholipids in biological samples by LC-MS/MS. *J Lipid Res*. 2014. doi:10.1194/jlr.D048439.
379. Mishima E, Inoue C, Saigusa D, et al. Conformational change in transfer RNA is an early indicator of acute cellular damage. *J Am Soc Nephrol*. 2014;25(10):2316-2326. doi:10.1681/ASN.2013091001.
380. Nishigori H, Sugawara J, Obara T, et al. Surveys of postpartum depression in Miyagi, Japan, after the Great East Japan Earthquake. *Arch Womens Ment Health*. 2014;17(6):579-581. doi:10.1007/s00737-014-0459-y.
381. 境田正樹. 東北メディカル・メガバンク計画における法的・倫理的課題.

- Law&Technology*. 2014;62:31-40. <http://ci.nii.ac.jp/naid/40019922651>.
382. 鈴木洋一, 山本雅之. ゲノムコホート研究とバイオバンク. *医学のあゆみ*. 2014;250巻5号:321-325.
<http://www.ishiyaku.co.jp/magazines/ayumi/AyumiArticleDetail.aspx?BC=925005&AC=14110>.
383. 関口敦. PTSDにおける扁桃体. *Clin Neurosci*. 2014;32(6):686-689.
<http://www.chugaiigaku.jp/item/detail.php?id=1538>.
384. 関口敦. 震災直後に認められた脳形態変化の追跡調査-健常大学生における検討. *心身医学*. 2014;54(6):563-563.
https://www.jstage.jst.go.jp/article/jjpm/55/8/55_KJ00010004608/_pdf.
385. Yokoyama R, Nozawa T, Takeuchi H, et al. Association between gray matter volume in the caudate nucleus and financial extravagance: findings from voxel-based morphometry. *Neurosci Lett*. 2014;563:28-32. doi:10.1016/j.neulet.2014.01.026.
386. Sugiura M, Yomogida Y, Mano Y, et al. From social-signal detection to higher social cognition: an fMRI approach. *Soc Cogn Affect Neurosci*. 2014;9(9):1303-1309.
<http://www.ncbi.nlm.nih.gov/pubmed/23887806>.
387. Takeuchi H, Taki Y, Nouchi R, et al. Association between resting-state functional connectivity and empathizing/systemizing. *Neuroimage*. 2014;99:312-322.
<http://www.sciencedirect.com/science/article/pii/S1053811914003966>.
388. Kotozaki Y, Takeuchi H, Sekiguchi A, et al. Biofeedback-based training for stress management in daily hassles: an intervention study. *Brain Behav*. 2014;4(4):566-579. doi:10.1002/brb3.241.
389. Takeuchi H, Taki Y, Sekiguchi A, et al. Creativity measured by divergent thinking is associated with two axes of autistic characteristics. *Front Psychol*. 2014;5:921.
<http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=4137690&tool=pmcentrez&rendertype=abstract>.
390. Nakagawa S, Sugiura M, Sekiguchi A, et al. Fatigue and relating to others 3 months after the 2011 Great East Japan Earthquake. *Psychiatry Res*. 2014;218(3):324-328.
<http://www.ncbi.nlm.nih.gov/pubmed/24844979>.
391. Takeuchi H, Taki Y, Nouchi R, et al. Working memory training improves emotional states of healthy individuals. *Front Syst Neurosci*. 2014;8:200.
<http://journal.frontiersin.org/article/10.3389/fnsys.2014.00200/abstract>.
392. Sekiguchi A, Sugiura M, Taki Y, et al. White matter microstructural changes as vulnerability factors and acquired signs of post-earthquake distress. *PLoS One*. 2014;9(1):e83967.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0083967>.

393. Moriya Y, Kasahara Y, Hall FS, et al. Sex differences in the effects of adolescent social deprivation on alcohol consumption in μ -opioid receptor knockout mice. *Psychopharmacology (Berl)*. 2014;232(8):1471-1482. doi:10.1007/s00213-014-3784-y.
394. Ono C, Yu Z, Kasahara Y, Kikuchi Y, Ishii N, Tomita H. Fluorescently Activated Cell Sorting Followed by Microarray Profiling of Helper T Cell Subtypes from Human Peripheral Blood. *PLoS One*. 2014;9(11):e111405. doi:10.1371/journal.pone.0111405.
395. Hasegawa T, Nagasaki M, Yamaguchi R, Imoto S, Miyano S. An efficient method of exploring simulation models by assimilating literature and biological observational data. *Biosystems*. 2014;121:54-66. doi:10.1016/j.biosystems.2014.06.001.
396. Hasegawa T, Yamaguchi R, Nagasaki M, Miyano S, Imoto S. Inference of gene regulatory networks incorporating multi-source biological knowledge via a state space model with L1 regularization. *PLoS One*. 2014;9(8):e105942. doi:10.1371/journal.pone.0105942.
397. Fujiwara T, Fukuhara N, Funayama R, et al. Identification of acquired mutations by whole-genome sequencing in GATA-2 deficiency evolving into myelodysplasia and acute leukemia. *Ann Hematol*. 2014;93(9):1515-1522. doi:10.1007/s00277-014-2090-4.
398. Li C, Nagasaki M, Ikeda E, Sekiya Y, Miyano S. CSML2SBML: a novel tool for converting quantitative biological pathway models from CSML into SBML. *Biosystems*. 2014;121:22-28. doi:10.1016/j.biosystems.2014.05.004.
399. Nariai N, Kojima K, Mimori T, et al. TIGAR2: sensitive and accurate estimation of transcript isoform expression with longer RNA-Seq reads. *BMC Genomics*. 2014;15((Suppl 10):S5). doi:10.1186/1471-2164-15-S10-S5.
400. Motoike IN, Matsumoto M, Danjoh I, et al. Validation of multiple single nucleotide variation calls by additional exome analysis with a semiconductor sequencer to supplement data of whole-genome sequencing of a human population. *BMC Genomics*. 2014;15:673. doi:10.1186/1471-2164-15-673.
401. Katsuoka F, Yokozawa J, Tsuda K, et al. An efficient quantitation method of next-generation sequencing libraries by using MiSeq sequencer. *Anal Biochem*. 2014;466(466C):27-29. doi:10.1016/j.ab.2014.08.015.
402. Sato Y, Kojima K, Nariai N, et al. SUGAR: graphical user interface-based data refiner for high-throughput DNA sequencing. *BMC Genomics*. 2014;15(1):664. doi:10.1186/1471-2164-15-664.
403. Kojima K, Nariai N, Mimori T, et al. HapMonster: A Statistically Unified Approach for Variant Calling and Haplotyping Based on Phase-Informative Reads. *Lect Notes Comput Sci*. 2014;8542:107-118. doi:10.1007/978-3-319-07953-0_9.
404. Ohtsuki T, Nariai N, Kojima K, et al. SVEM: a Structural Variant Estimation

- Method using Multi-Mapped Reads on Breakpoints. *Lect Notes Comput Sci*. 2014;8542:208-219. doi:10.1007/978-3-319-07953-0_17.
405. Suzuki M, Yamazaki H, Mukai HY, et al. Disruption of the Hbs11-Myb Locus Causes Hereditary Persistence of Fetal Hemoglobin in a Mouse Model. *Mol Cell Biol*. 2013;33(8):1687-1695. doi:10.1128/MCB.01617-12.
406. Hachiya A, Reeve AB, Marchand B, et al. Evaluation of combinations of 4'-ethynyl-2-fluoro-2'-deoxyadenosine with clinically used antiretroviral drugs. *Antimicrob Agents Chemother*. June 2013. doi:10.1128/AAC.00283-13.
407. Shimane K, Kawaji K, Miyamoto F, et al. HIV-1 resistance mechanism to an electrostatically constrained peptide fusion inhibitor that is active against T-20-resistant strains. *Antimicrob Agents Chemother*. 2013;57(8):4035-4038. doi:10.1128/AAC.00237-13.
408. Suzuki M, Kobayashi-Osaki M, Tsutsumi S, et al. GATA factor switching from GATA2 to GATA1 contributes to erythroid differentiation. *Genes to Cells*. 2013;18(11):921-933. doi:10.1111/gtc.12086.
409. Shimizu R, Hasegawa A, Ottolenghi S, Ronchi A, Yamamoto M. Verification of the in vivo activity of three distinct cis -acting elements within the Gata1 gene promoter-proximal enhancer in mice. *Genes to Cells*. 2013;18(11):1032-1041. doi:10.1111/gtc.12096.
410. Mukai HY, Suzuki M, Nagano M, et al. Establishment of erythroleukemic GAK14 cells and characterization of GATA1 N-terminal domain. *Genes to Cells*. 2013;18(10):n/a-n/a. doi:10.1111/gtc.12084.
411. Muramatsu H, Katsuoka F, Toide K, Shimizu Y, Furusako S, Yamamoto M. Nrf2 deficiency leads to behavioral, neurochemical and transcriptional changes in mice. *Genes to Cells*. 2013;18(10):n/a-n/a. doi:10.1111/gtc.12083.
412. Suzuki T, Shibata T, Takaya K, et al. Regulatory nexus of synthesis and degradation deciphers cellular Nrf2 expression levels. *Mol Cell Biol*. 2013;33(12):2402-2412. doi:10.1128/MCB.00065-13.
413. Konno S, Hozawa A, Munakata M. Blood pressure among public employees after the Great East Japan Earthquake: the Watari study. *Am J Hypertens*. 2013;26(9):1059-1063. doi:10.1093/ajh/hpt065.
414. Hoshi R, Tomata Y, Kakizaki M, et al. [Serum total cholesterol levels and eligibility for long-term care insurance: a prospective cohort study of the Tsurugaya project]. *[Nihon kōshū eisei zasshi] Japanese J public Heal*. 2013;60(8):435-443. <http://www.ncbi.nlm.nih.gov/pubmed/24125765>.
415. Shibata K, Hozawa A, Tamiya G, et al. The confounding effect of cryptic relatedness

- for environmental risks of systolic blood pressure on cohort studies. *Mol Genet genomic Med.* 2013;1(1):45-53. doi:10.1002/mgg3.4.
416. Hozawa A, Sugawara Y, Tomata Y, et al. Relationship between serum isoflavone levels and disability-free survival among community-dwelling elderly individuals: nested case-control study of the Tsurugaya project. *J Gerontol A Biol Sci Med Sci.* 2013;68(4):465-472. doi:10.1093/gerona/gls198.
417. Konno S, Hozawa A, Miura Y, Ito S, Munakata M. High-normal diastolic blood pressure is a risk for development of microalbuminuria in the general population: the Watari study. *J Hypertens.* 2013;31(4):798-804. doi:10.1097/HJH.0b013e32835e2146.
418. Kakizaki M, Kuriyama S, Nakaya N, et al. Long sleep duration and cause-specific mortality according to physical function and self-rated health: the Ohsaki Cohort Study. *J Sleep Res.* 2013;22(2):209-216. doi:10.1111/j.1365-2869.2012.01053.x.
419. Niu K, Guo H, Kakizaki M, et al. A tomato-rich diet is related to depressive symptoms among an elderly population aged 70 years and over: a population-based, cross-sectional analysis. *J Affect Disord.* 2013;144(1-2):165-170. doi:10.1016/j.jad.2012.04.040.
420. Miyamatsu N, Okamura T, Nakayama H, et al. Public awareness of early symptoms of stroke and information sources about stroke among the general Japanese population: the Acquisition of Stroke Knowledge Study. *Cerebrovasc Dis.* 2013;35(3):241-249. doi:10.1159/000347066.
421. Kondo I, Ojima T, Nakamura M, et al. Consumption of dairy products and death from cardiovascular disease in the Japanese general population: the NIPPON DATA80. *J Epidemiol.* 2013;23(1):47-54. <http://www.ncbi.nlm.nih.gov/pubmed/23208514>.
422. Kon A, Shih L-Y, Minamino M, et al. Recurrent mutations in multiple components of the cohesin complex in myeloid neoplasms. *Nat Genet.* 2013;45(10):1232-1237. doi:10.1038/ng.2731.
423. Takeuchi H, Taki Y, Sekiguchi A, et al. Association of hair iron levels with creativity and psychological variables related to creativity. *Front Hum Neurosci.* 2013;7:875. doi:10.3389/fnhum.2013.00875.
424. Wu K, Taki Y, Sato K, Qi H, Kawashima R, Fukuda H. A longitudinal study of structural brain network changes with normal aging. *Front Hum Neurosci.* 2013;7. doi:10.3389/fnhum.2013.00113.
425. Taki Y, Kinomura S, Ebihara S, et al. Correlation between pulmonary function and brain volume in healthy elderly subjects. *Neuroradiology.* 2013;55(6):689-695. doi:10.1007/s00234-013-1157-6.
426. Suzuki H, Sumiyoshi A, Taki Y, et al. Voxel-based morphometry and histological

- analysis for evaluating hippocampal damage in a rat model of cardiopulmonary resuscitation. *Neuroimage*. 2013;77:215-221. doi:10.1016/j.neuroimage.2013.03.042.
427. Mutoh T, Taki Y, Tsubone H. Desflurane but not sevoflurane augments laryngeal C-fiber inputs to nucleus tractus solitarius neurons by activating transient receptor potential-A1. *Life Sci*. 2013;92(14-16):821-828. doi:10.1016/j.lfs.2013.02.015.
428. Souma T, Yamazaki S, Moriguchi T, et al. Plasticity of Renal Erythropoietin-Producing Cells Governs Fibrosis. *J Am Soc Nephrol*. 2013;24(10):1599-1616. doi:10.1681/ASN.2013010030.
429. Suzuki N, Hirano I, Pan X, Minegishi N, Yamamoto M. Erythropoietin production in neuroepithelial and neural crest cells during primitive erythropoiesis. *Nat Commun*. 2013;4:2902. doi:10.1038/ncomms3902.
430. Kon S, Minegishi N, Tanabe K, et al. Smad1 deficiency perturbs receptor trafficking and predisposes mice to myelodysplasia. *J Clin Invest*. 2013;123(3):1123-1137. doi:10.1172/JCI63711.
431. Yamazaki S, Souma T, Hirano I, et al. A mouse model of adult-onset anaemia due to erythropoietin deficiency. *Nat Commun*. 2013;4:1950. doi:10.1038/ncomms2950.
432. Kasahara K, Shirota M, Kinoshita K. Ion concentration-dependent ion conduction mechanism of a voltage-sensitive potassium channel. Aegerter CM, ed. *PLoS One*. 2013;8(2):e56342. doi:10.1371/journal.pone.0056342.
433. Shirota M, Kinoshita K. Analyses of the general rule on residue pair frequencies in local amino acid sequences of soluble, ordered proteins. *Protein Sci*. 2013;22(6):725-733. doi:10.1002/pro.2255.
434. Kasahara K, Shirota M, Kinoshita K. Comprehensive classification and diversity assessment of atomic contacts in protein-small ligand interactions. *J Chem Inf Model*. 2013;53(1):241-248. doi:10.1021/ci300377f.
435. Obayashi T, Okamura Y, Ito S, Tadaka S, Motoike IN, Kinoshita K. COXPRESdb: a database of comparative gene coexpression networks of eleven species for mammals. *Nucleic Acids Res*. 2013;41(Database issue):D1014-20. doi:10.1093/nar/gks1014.
436. Shi D, Funayama T, Mashima Y, et al. Association of HK2 and NCK2 with normal tension glaucoma in the Japanese population. Mohan RR, ed. *PLoS One*. 2013;8(1):e54115. doi:10.1371/journal.pone.0054115.
437. Tamai H, Ishida K, Murakami K, Narita N, Tominaga T, Fuse N. Compression neuropathy caused by cancer metastasis to the optic nerve canal. *BMC Res Notes*. 2013;6(1):546. doi:10.1186/1756-0500-6-546.
438. Shi D, Takano Y, Nakazawa T, et al. Molecular genetic analysis of primary open-angle glaucoma, normal tension glaucoma, and developmental glaucoma for the

- VAV2 and VAV3 gene variants in Japanese subjects. *Biochem Biophys Res Commun.* 2013;432(3):509-512. doi:10.1016/j.bbrc.2013.02.003.
439. Shi L, Cui S, Engel JD, Tanabe O. Lysine-specific demethylase 1 is a therapeutic target for fetal hemoglobin induction. *Nat Med.* 2013;19(3):291-294. doi:10.1038/nm.3101.
440. Hosoya T, Clifford M, Losson R, Tanabe O, Engel JD. TRIM28 is essential for erythroblast differentiation in the mouse. *Blood.* 2013;122(23):3798-3807. doi:10.1182/blood-2013-04-496166.
441. 菅原準一. 3. 1 1 周産期医療に何が起こったか. 石川産科婦人科学会雑誌. 2013;3:18-19.
442. 菅原準一. 東北メディカル・メガバンク事業—次世代の医療モデルを実現するために—. 宮城県産婦人科医会誌. 2013;120:6-9.
443. 菅原準一. プライマリケアがお産を守る！大震災後の周産期医療と東北メディカル・メガバンク事業 災害時に母児を守る！その医療活動から見えてきたもの. 日本医事新報. 2013;4637:25-29. http://www.jmedj.co.jp/article/detail.php?article_id=16019.
444. Kikuchi M, Ogishima S, Miyamoto T, et al. Identification of unstable network modules reveals disease modules associated with the progression of Alzheimer's disease. Csermely P, ed. *PLoS One.* 2013;8(11):e76162. doi:10.1371/journal.pone.0076162.
445. Nishio Y, Ogishima S, Ichikawa M, et al. Analysis of L-glutamic acid fermentation by using a dynamic metabolic simulation model of Escherichia coli. *BMC Syst Biol.* 2013;7(1):92. doi:10.1186/1752-0509-7-92.
446. Okuyama K, Ikawa T, Gentner B, et al. MicroRNA-126-mediated control of cell fate in B-cell myeloid progenitors as a potential alternative to transcriptional factors. *Proc Natl Acad Sci.* 2013;110(33):13410-13415. doi:10.1073/pnas.1220710110.
447. Takahashi M, Kamei Y, Ehara T, et al. Analysis of DNA methylation change induced by Dnmt3b in mouse hepatocytes. *Biochem Biophys Res Commun.* 2013;434(4):873-878. doi:10.1016/j.bbrc.2013.04.041.
448. Ogishima S, Mizuno S, Kikuchi M, et al. A map of Alzheimer's disease-signaling pathways: a hope for drug target discovery. *Clin Pharmacol Ther.* 2013;93(5):399-401. doi:10.1038/clpt.2013.37.
449. Obara T, Kikuya M, Kobayashi Y, et al. Associations between visit-to-visit variability in blood pressure measured in the office and antihypertensive drugs: the J-HOME-Morning study. *Clin Exp Hypertens.* 2013;35(4):285-290. doi:10.3109/10641963.2013.780070.
450. Miya M, Friedman M, Satoh TP, et al. Evolutionary Origin of the Scombridae (Tunas

- and Mackerels): Members of a Paleogene Adaptive Radiation with 14 Other Pelagic Fish Families. Kolokotronis S-O, ed. *PLoS One*. 2013;8(9):e73535.
doi:10.1371/journal.pone.0073535.
451. Nakamura A, Ebina-Shibuya R, Itoh-Nakadai A, et al. Transcription repressor Bach2 is required for pulmonary surfactant homeostasis and alveolar macrophage function. *J Exp Med*. 2013;210(11):2191-2204. doi:10.1084/jem.20130028.
452. Kanno A, Kikuya M, Asayama K, et al. Night-time blood pressure is associated with the development of chronic kidney disease in a general population: the Ohasama Study. *J Hypertens*. 2013;31(12):2410-2417. doi:10.1097/HJH.0b013e328364dd0f.
453. 清元秀泰. 遺伝子・組織バンクと医療情報の電子化 被災地から最先端創薬を目指して～東北メディカル・メガバンク機構の挑戦～. *臨床薬理*. 2013;44:175-176.
454. 事崎由佳, 竹内光, 関口敦, et al. デイリー・ハスルズに対するバイオフィードバック介入の効果. *人工知能学会論文誌*. 2013;571:1-4.
<https://kaigi.org/jsai/webprogram/2013/pdf/571.pdf>.
455. 関口敦, 杉浦元亮, 事崎由佳, 佐久間篤, 瀧靖之, 川島隆太. 震災後精神症状の脆弱性・獲得因子の神経基盤の解明. *トラウマティック・ストレス*. 2013;vol.11-1:63-67.
<http://www.jstss.org/journals/720.php>.
456. Miura N, Akitsuki Y, Sekiguchi A, Kawashima R. Activity in the primary somatosensory cortex induced by reflexological stimulation is unaffected by pseudo-information: a functional magnetic resonance imaging study. *BMC Complement Altern Med*. 2013;13(1):114. doi:10.1186/1472-6882-13-114.
457. Sekiguchi A, Sugiura M, Yokoyama S, et al. Neural correlates of adaptive social responses to real-life frustrating situations: a functional MRI study. *BMC Neurosci*. 2013;14(1):29. doi:10.1186/1471-2202-14-29.
458. Nagasaki M, Fujita A, Sekiya Y, et al. XiP: a computational environment to create, extend and share workflows. *Bioinformatics*. 2013;29(1):137-139.
doi:10.1093/bioinformatics/bts630.
459. Hiramoto T, Ebihara Y, Mizoguchi Y, et al. Wnt3a stimulates maturation of impaired neutrophils developed from severe congenital neutropenia patient-derived pluripotent stem cells. *Proc Natl Acad Sci USA*. 2013;110(8):3023-3028.
doi:10.1073/pnas.1217039110.
460. Razak SRA, Ueno K, Takayama N, et al. Profiling of microRNA in human and mouse ES and iPS cells reveals overlapping but distinct microRNA expression patterns. *PLoS One*. 2013;8(9):e73532. doi:10.1371/journal.pone.0073532.
461. Mimori T, Nariai N, Kojima K, et al. iSVP: an integrated structural variant calling pipeline from high-throughput sequencing data. *BMC Syst Biol*. 2013;7(Suppl 6):S8.

doi:10.1186/1752-0509-7-S6-S8.

462. Kojima K, Nariai N, Mimori T, et al. A statistical variant calling approach from pedigree information and local haplotyping with phase informative reads. *Bioinformatics*. 2013;Nov 15(29(22)):2835-2843. doi:10.1093/bioinformatics/btt503.
463. Nariai N, Hirose O, Kojima K, Nagasaki M. TIGAR: transcript isoform abundance estimation method with gapped alignment of RNA-Seq data by variational Bayesian inference. *Bioinformatics*. 2013;29(18):2292-2299. doi:10.1093/bioinformatics/btt381.
464. Akiyama Y, Takeuchi Y, Kikuchi K, et al. A metabolomic approach to clarifying the effect of AST-120 on 5/6 nephrectomized rats by capillary electrophoresis with mass spectrometry (CE-MS). *Toxins (Basel)*. 2012;4(11):1309-1322. doi:10.3390/toxins4111309.
465. Nouchi R, Taki Y, Takeuchi H, et al. Beneficial effects of short-term combination exercise training on diverse cognitive functions in healthy older people: study protocol for a randomized controlled trial. *Trials*. 2012;13(1):200. doi:10.1186/1745-6215-13-200.
466. 橋爪寛, 瀧靖之, 佐々祐子, et al. 小児における外国語発音能力と外国語音産出に関わる脳活動の発達的变化の関係. 電子情報通信学会技術研究報告. 2012;112(145):19-23. <http://www.ieice.org/ken/paper/20120721m0sT/>.
467. Taki Y, Kawashima R. Brain Development in Childhood. *Open Neuroimag J*. 2012;6:103-110. doi:10.2174/1874440001206010103.
468. Hirotsu Y, Katsuoka F, Funayama R, et al. Nrf2-MafG heterodimers contribute globally to antioxidant and metabolic networks. *Nucleic Acids Res*. 2012;40(20):10228-10239. doi:10.1093/nar/gks827.
469. Takano Y, Shi D, Shimizu A, et al. Association of Toll-like receptor 4 gene polymorphisms in Japanese subjects with primary open-angle, normal-tension, and exfoliation glaucoma. *Am J Ophthalmol*. 2012;154(5):825-832.e1. doi:10.1016/j.ajo.2012.03.050.
470. Böck M, Ogishima S, Tanaka H, Kramer S, Kaderali L. Hub-centered gene network reconstruction using automatic relevance determination. Semsey S, ed. *PLoS One*. 2012;7(5):e35077. doi:10.1371/journal.pone.0035077.
471. Ozawa M, Sakatani M, Yao J, et al. Global gene expression of the inner cell mass and trophectoderm of the bovine blastocyst. *BMC Dev Biol*. 2012;12(1):33. doi:10.1186/1471-213X-12-33.
472. Ohkura N, Hamaguchi M, Morikawa H, et al. T Cell Receptor Stimulation-Induced Epigenetic Changes and Foxp3 Expression Are Independent and Complementary Events Required for Treg Cell Development. *Immunity*. 2012;37(5):785-799.

doi:10.1016/j.immuni.2012.09.010.

473. Morita S, Takahashi R, Yamashita R, et al. Genome-Wide Analysis of DNA Methylation and Expression of MicroRNAs in Breast Cancer Cells. *Int J Mol Sci*. 2012;13(12):8259-8272. doi:10.3390/ijms13078259.
474. Suzuki S, Takai-Igarashi T, Fukuoka Y, Wall DP, Tanaka H, Tonellato PJ. Systems analysis of inflammatory bowel disease based on comprehensive gene information. *BMC Med Genet*. 2012;13(1):25. doi:10.1186/1471-2350-13-25.
475. Sekiguchi A, Sugiura M, Taki Y, et al. Causal Relationship Between Psychological Distress After a Severe Earthquake and Brain Structural Changes. *Hum Sci Technol*. 2012;Vol. 10:31-37.
476. Kotozaki Y, Takeuchi H, Sekiguchi A, et al. Psychological Effects of the Great East Japan Earthquake: Posttraumatic Stress, Psychological Effects and the Cortisol Levels in Women Who Live in the Coastal Disaster Areas. *Hum Sci Technol*. 2012;Vol. 10:38-45.
477. Koso H, Takeda H, Yew CCK, et al. Transposon mutagenesis identifies genes that transform neural stem cells into glioma-initiating cells. *Proc Natl Acad Sci U S A*. 2012;109(44):E2998-3007. doi:10.1073/pnas.1215899109.
478. Yasuda T, Suzuki S, Nagasaki M, Miyano S. ChopSticks: High-resolution analysis of homozygous deletions by exploiting concordant read pairs. *BMC Bioinformatics*. 2012;13:279. doi:10.1186/1471-2105-13-279.